

Advanced RF Tech

Manufacturer	Model	RFI Equivalent	Description	Product Type
Advanced RF Technologies	_JP-NM-RG142-SMAM-3	RFW-12519-36	3ft: N-type Male to SMA Male RF Jumper Cable	Cable
Advanced RF Technologies	_JP-NM-RG142-SMAM-6	RFW-12519-72	6ft: N-type Male to SMA Male RF Jumper Cable	Cable
Advanced RF Technologies	JP-N(F)-RG142-N(F)-3	RFW-3317-36	Coax Jumper, N Female Straight to N Female Straight, 3 ft, RG142	Cable
Advanced RF Technologies	JP-N(M)-RG142-N(F)-3	RFW-5147-36	Coax Jumper, N Male Straight to N Female Straight, 3 ft, RG142	Cable
Advanced RF Technologies	JP-N(M)-RG142-N(F)-4	RFW-5147-48	Coax Jumper, N Male Straight to N Female Straight, 4ft, RG142	Cable
Advanced RF Technologies	JP-NM-RG400-NF-3	RFW-12953-36	3ft: N-type Male to N-type Female RF Jumper Cable	Cable
Advanced RF Technologies	JP-NM-RG400-NF-4	RFW-12953-48	4ft: N-type Male to N-type Female RF Jumper Cable	Cable
Advanced RF Technologies	JP-NM-RG400-NM-1	RFW-5578-12	1ft: N-type Male to N-type Male RF Jumper Cable Right Angle Connectors	Cable
Advanced RF Technologies	JP-NM-RG400-NM-10	RFW-5578-120	10ft: N-type Male to N-type Male RF Jumper Cable	Cable
Advanced RF Technologies	JP-NM-RG400-NM-3	RFW-5578-36	3ft: N-type Male to N-type Male RF Jumper Cable	Cable
Advanced RF Technologies	JP-NM-RG400-NM-4	RFW-5578-48	4ft: N-type Male to N-type Male RF Jumper Cable	Cable
Advanced RF Technologies	JP-NM-RG400-NM-6	RFW-5578-72	6ft: N-type Male to N-type Male RF Jumper Cable	Cable
Advanced RF Technologies	J-SF141-6-4MS-NMS	P2RFC-2331-72	4.3-10 Male (Straight) N Male (Straight) Low PIM Jumper Cable	Cable
Advanced RF Technologies	J-SF141-3-NMS-NFS	P2RFC-2551-72	3 FT N MALE (STRAIGHT) TO N FEMALE (STRAIGHT) LOW PIM JUMPER CABLE	Cable
Advanced RF Technologies	J-SF141-3-MMR-NMR	P2RFC-2472-36	Mini DIN Male (Right Angled) to N Male (Right Angled)	Cable
Advanced RF Technologies	J-SF141-6-MMR-NMR	P2RFC-2472-72	Mini DIN Male (Right Angled) to N Male (Right Angled)	Cable
Advanced RF Technologies	J-SF141-6-DMS-DMS	P2RFC-2066-72	DIN Male (Straight) to DIN Male (Straight)	Cable
Advanced RF Technologies	J-SF141-6-DMS-NMS	P2RFC-2065-72	DIN Male (Straight) to N Male (Straight)	Cable
Advanced RF Technologies	J-SF141-10-DMS-NFS	P2RFC-2229-120	10 ft DIN Male (Straight) to N Female (Straight)	Cable
Advanced RF Technologies	J-SF141-1H-NMR-NMR	P2RFC-2216-18	N Male (Right Angled) to N Male (Right Angled)	Cable
Advanced RF Technologies	J-SF141-3-NMS-NMS	P2RFC-2064-36	N Male (Straight) to N Male (Straight)	Cable
Advanced RF Technologies	J-SF141-3-NMS-NFS	P2RFC-2175-36	N Male (Straight) to N Female (Straight)	Cable
Advanced RF Technologies	J-SF141-3-NMS-SMS	P2RFC-2068-36	N Male (Straight) to SMA Male (Straight)	Cable
Advanced RF Technologies	J-SF141-6-NMS-NMS	P2RFC-2064-72	N Male (Straight) to N Male (Straight)	Cable
Advanced RF Technologies	J-SF141-6-NMS-SMS	P2RFC-2068-72	N Male (Straight) to SMA Male (Straight)	Cable
Advanced RF Technologies	J-SF141-3-SMS-SMS	P2RFC-2067-36	SMA Male (Straight) to SMA Male (Straight)	Cable

Advanced RF Tech

Manufacturer	Model	RFI Equivalent	Description	Product Type
Advanced RF Technologies	J-SF141-6-SMS-SMS	P2RFC-2067-72	SMA Male (Straight) to SMA Male (Straight)	Cable

Belden

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Belden	VE007 03/1	RFW-5032-24	590 mm RG316 Jumper Cable - 700 - SMA Male-SMA Male	Cable
Belden	VE007 10/1	RFW-5032-9	215 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 11/1	RFW-5032-4	110 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 17/1	RFW-5032-6.5	165 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 18/1	RFW-5032-57	1450 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 30/1	RFW-5032-30	765 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 31/1	RFW-5032-34	860 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 32/1	RFW-5032-6	155 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 32/2	RFW-5032-2	55 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 39/1	RFW-5032-5.5	140 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 39/2	RFW-5032-4.5	115 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 71/1	RFW-5032-15	380 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 71/2	RFW-5032-9.5	240 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 71/3	RFW-5032-30	770 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 71/4	RFW-5032-46	1165 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 74/1	RFW-5032-18	450 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 87/1	RFW-5032-7.3	185 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 87/2	RFW-5032-8.7	220 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 87/3	RFW-5032-11.2	285 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable
Belden	VE007 88/1	RFW-5032-12.6	320 mm RG316 Jumper Cable - 700; SMA Male-SMA Male	Cable

Manufacturer	Model	RFI Equivalent
Compulink	CX500-NMQNMQ-3FT	P2RFC-2008-36
Compulink	CX500-NMQNMQ-6FT	P2RFC-2008-72
Compulink	CX500-NMQNMQ-9FT	P2RFC-2008-108
Compulink	R402TFT-NMNM-1M	P2RFC-2064-39
Compulink	R402TFT-NMNM-2M	P2RFC-2064-79
Compulink	R402TFT-NMNM-3M	P2RFC-2064-117
Compulink	R402TFT-NMNM-5M	P2RFC-2064-195
Compulink	R402TFT-NMSAM-1M	P2RFC-2068-39
Compulink	R402TFT-NMSAM-2M	P2RFC-2068-79
Compulink	R402TFT-NMSAM-3M	P2RFC-2068-117
Compulink	R402TFT-NMSAM-5M	P2RFC-2068-195
Compulink	R402TFT-41M41M-1M	P2RFC-2070-39
Compulink	R402TFT-41M41M-2M	P2RFC-2070-79
Compulink	R402TFT-41M41M-3M	P2RFC-2070-117
Compulink	R402TFT-41M41M-5M	P2RFC-2070-195

Compulink	R402TFT-NMQMA-1M	P2RFC-2163-39
Compulink	R402TFT-NMQMA-2M	P2RFC-2163-79
Compulink	R402TFT-NMQMA-3M	P2RFC-2163-117
Compulink	R402TFT-NMQMA-5M	P2RFC-2163-195
Compulink	R402TFT-NFNM-1M	P2RFC-2175-39
Compulink	R402TFT-NFNM-2M	P2RFC-2175-79
Compulink	R402TFT-NFNM-3M	P2RFC-2175-117
Compulink	R402TFT-NFNM-5M	P2RFC-2175-195
Compulink	R402TFT-43F43M-1M	P2RFC-2422-39
Compulink	R402TFT-43F43M-2M	P2RFC-2422-78
Compulink	R402TFT-43F43M-3M	P2RFC-2422-117
Compulink	R402TFT-43F43M-5M	P2RFC-2422-195
Compulink	R402TFT-43M43M-1M	P2RFC-2275-39
Compulink	R402TFT-43M43M-2M	P2RFC-2275-78

Compulink	R402TFT-43M43M-3M	P2RFC-2275-117
Compulink	R402TFT-43M43M-5M	P2RFC-2275-195
Compulink	R402TFT-43F43M-1M	P2RFC-2275-39
Compulink	R402TFT-43F43M-2M	P2RFC-2275-79
Compulink	R402TFT-43MNM-1M	P2RFC-2331-39
Compulink	R402TFT-43MNM-2M	P2RFC-2331-79
Compulink	R402TFT-43MNM-3M	P2RFC-2331-117
Compulink	R402TFT-43MNM-5M	P2RFC-2331-195
Compulink	R402TFT-43F43M-1M	P2RFC-2422-39
Compulink	R402TFT-43F43M-2M	P2RFC-2422-78
Compulink	R402TFT-43F43M-3M	P2RFC-2422-117
Compulink	R402TFT-43F43M-5M	P2RFC-2422-195

Description
Low PIM 1/2 inch Coaxial Assembly, Male "N" to Male "N", 3 feet
Low PIM 1/2 inch Coaxial Assembly, Male "N" to Male "N", 6 feet
Low PIM 1/2 inch Coaxial Assembly, Male "N" to Male "N", 9 feet
N-Male to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than or equal to -160dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to SMA-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -155dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to SMA-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -155dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to SMA-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -155dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to SMA-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -155dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.1/9.5 Mini Din Male to 4.1/9.5 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.1/9.5 Mini Din Male to 4.1/9.5 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.1/9.5 Mini Din Male to 4.1/9.5 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.1/9.5 Mini Din Male to 4.1/9.5 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

N-Male to QMA-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -140dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to QMA-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -140dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to QMA-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -140dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Male to QMA-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -140dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Female to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Female to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Female to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
N-Female to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.3/10 Mini Din Male to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies
4.3/10 Mini Din Male to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Male to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Male to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Male to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Male to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Male to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Male to N-Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 1 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 2 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 3 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

4.3/10 Mini Din Female to 4.3/10 Mini Din Male Low PIM Plenum cable flexibe TFT-402-LF .16" OD cable less than -160dBc PIM Tested CMP Rated 5 Meter Wireless/DAS High Performance Low PIM Coaxial Cable Assemblies

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-3131-W01	P2RFC-2269-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-W02	P2RFC-2269-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-W03	P2RFC-2269-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-W04	P2RFC-2269-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-W05	P2RFC-2269-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-W06	P2RFC-2269-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-W10	P2RFC-2269-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-WM1	P2RFC-2269-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-WM2	P2RFC-2269-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3131-WM5	P2RFC-2269-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-W01	P2RFC-2628-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-W02	P2RFC-2628-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-W03	P2RFC-2628-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-W04	P2RFC-2628-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-W05	P2RFC-2628-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-W06	P2RFC-2628-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-W10	P2RFC-2628-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-WM1	P2RFC-2628-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-WM2	P2RFC-2628-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-3132-WM5	P2RFC-2628-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-31N1-W01	P2RFC-2328-12	Jumper / 1 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-W02	P2RFC-2328-24	Jumper / 2 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-W03	P2RFC-2328-36	Jumper / 3 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-W04	P2RFC-2328-48	Jumper / 4 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-W05	P2RFC-2328-60	Jumper / 5 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-W06	P2RFC-2328-72	Jumper / 6 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-W10	P2RFC-2328-120	Jumper / 10 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-WM1	P2RFC-2328-39	Jumper / 1 m / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-WM2	P2RFC-2328-78	Jumper / 2 m / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31N1-WM5	P2RFC-2328-195	Jumper / 5 m / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-W01	P2RFC-2302-12	Jumper / 1 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-W02	P2RFC-2302-24	Jumper / 2 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-W03	P2RFC-2302-36	Jumper / 3 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-W04	P2RFC-2302-48	Jumper / 4 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-W05	P2RFC-2302-60	Jumper / 5 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-W06	P2RFC-2302-72	Jumper / 6 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-W10	P2RFC-2302-120	Jumper / 10 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-WM1	P2RFC-2302-39	Jumper / 1 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-WM2	P2RFC-2302-78	Jumper / 2 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-31NF-WM5	P2RFC-2302-195	Jumper / 5 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-32N1-W01	P2RFC-2621-12	Jumper / 1 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-W02	P2RFC-2621-24	Jumper / 2 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-W03	P2RFC-2621-36	Jumper / 3 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-W04	P2RFC-2621-48	Jumper / 4 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-W05	P2RFC-2621-60	Jumper / 5 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-W06	P2RFC-2621-72	Jumper / 6 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-W10	P2RFC-2621-120	Jumper / 10 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-WM1	P2RFC-2621-39	Jumper / 1 m / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-WM2	P2RFC-2621-78	Jumper / 2 m / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-32N1-WM5	P2RFC-2621-195	Jumper / 5 m / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-W01	P2RFC-2076-12	Jumper / 1 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-W02	P2RFC-2076-24	Jumper / 2 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-W03	P2RFC-2076-36	Jumper / 3 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-W04	P2RFC-2076-48	Jumper / 4 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-W05	P2RFC-2076-60	Jumper / 5 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-W06	P2RFC-2076-72	Jumper / 6 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-W10	P2RFC-2076-120	Jumper / 10 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-WM1	P2RFC-2076-39	Jumper / 1 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-WM2	P2RFC-2076-78	Jumper / 2 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-4141-WM5	P2RFC-2076-195	Jumper / 5 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-41N1-W01	P2RFC-2075-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-W02	P2RFC-2075-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-W03	P2RFC-2075-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-W04	P2RFC-2075-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-W05	P2RFC-2075-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-W06	P2RFC-2075-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-W10	P2RFC-2075-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-WM1	P2RFC-2075-39	Jumper / 1 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-WM2	P2RFC-2075-78	Jumper / 2 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41N1-WM5	P2RFC-2075-195	Jumper / 5 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-W01	P2RFC-2218-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-W02	P2RFC-2218-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-W03	P2RFC-2218-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-W04	P2RFC-2218-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-W05	P2RFC-2218-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-W06	P2RFC-2218-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-W10	P2RFC-2218-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-WM1	P2RFC-2218-39	Jumper / 1 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-WM2	P2RFC-2218-78	Jumper / 2 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-41NF-WM5	P2RFC-2218-195	Jumper / 5 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-42N1-W01	P2RFC-2075-12	Jumper / 1 ft / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-W02	P2RFC-2075-24	Jumper / 2 ft / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-W03	P2RFC-2075-36	Jumper / 3 ft / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-W04	P2RFC-2075-48	Jumper / 4 ft / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-W05	P2RFC-2075-60	Jumper / 5 ft / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-W06	P2RFC-2075-72	Jumper / 6 ft / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-W10	P2RFC-2075-120	Jumper / 10 ft / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-WM1	P2RFC-2075-39	Jumper / 1 m / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-WM2	P2RFC-2075-78	Jumper / 2 m / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-42N1-WM5	P2RFC-2075-195	Jumper / 5 m / Din 4.1/9.5 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-W01	P2RFC-2329-12	Jumper / 1 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-W02	P2RFC-2329-24	Jumper / 2 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-W03	P2RFC-2329-36	Jumper / 3 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-W04	P2RFC-2329-48	Jumper / 4 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-W05	P2RFC-2329-60	Jumper / 5 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-W06	P2RFC-2329-72	Jumper / 6 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-W10	P2RFC-2329-120	Jumper / 10 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-WM1	P2RFC-2329-39	Jumper / 1 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-WM2	P2RFC-2329-78	Jumper / 2 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D131-WM5	P2RFC-2329-195	Jumper / 5 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-D141-W01	P2RFC-2077-12	Jumper / 1 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-W02	P2RFC-2077-24	Jumper / 2 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-W03	P2RFC-2077-36	Jumper / 3 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-W04	P2RFC-2077-48	Jumper / 4 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-W05	P2RFC-2077-60	Jumper / 5 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-W06	P2RFC-2077-72	Jumper / 6 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-W10	P2RFC-2077-120	Jumper / 10 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-WM1	P2RFC-2077-39	Jumper / 1 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-WM2	P2RFC-2077-78	Jumper / 2 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D141-WM5	P2RFC-2077-195	Jumper / 5 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-W01	P2RFC-2074-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-W02	P2RFC-2074-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-W03	P2RFC-2074-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-W04	P2RFC-2074-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-W05	P2RFC-2074-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-W06	P2RFC-2074-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-W10	P2RFC-2074-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-WM1	P2RFC-2074-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-WM2	P2RFC-2074-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D1-WM5	P2RFC-2074-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-D1D2-W01	P2RFC-2267-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-W02	P2RFC-2267-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-W03	P2RFC-2267-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-W04	P2RFC-2267-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-W05	P2RFC-2267-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-W06	P2RFC-2267-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-W10	P2RFC-2267-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-WM1	P2RFC-2267-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-WM2	P2RFC-2267-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1D2-WM5	P2RFC-2267-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-W01	P2RFC-2195-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-W02	P2RFC-2195-24	Jumper / 2 ft / Din 7/16 Male -Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-W03	P2RFC-2195-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-W04	P2RFC-2195-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-W05	P2RFC-2195-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-W06	P2RFC-2195-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-W10	P2RFC-2195-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-WM1	P2RFC-2195-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-WM2	P2RFC-2195-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1DF-WM5	P2RFC-2195-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-D1N1-W01	P2RFC-2073-12	Jumper / 1 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-W02	P2RFC-2073-24	Jumper / 2 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-W03	P2RFC-2073-36	Jumper / 3 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-W04	P2RFC-2073-48	Jumper / 4 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-W05	P2RFC-2073-60	Jumper / 5 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-W06	P2RFC-2073-72	Jumper / 6 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-W10	P2RFC-2073-120	Jumper / 10 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-WM1	P2RFC-2073-39	Jumper / 1 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-WM2	P2RFC-2073-78	Jumper / 2 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1N1-WM5	P2RFC-2073-195	Jumper / 5 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-W01	P2RFC-2196-12	Jumper / 1 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-W02	P2RFC-2196-24	Jumper / 2 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-W03	P2RFC-2196-36	Jumper / 3 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-W04	P2RFC-2196-48	Jumper / 4 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-W05	P2RFC-2196-60	Jumper / 5 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-W06	P2RFC-2196-72	Jumper / 6 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-W10	P2RFC-2196-120	Jumper / 10 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-WM1	P2RFC-2196-39	Jumper / 1 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-WM2	P2RFC-2196-78	Jumper / 2 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D1NF-WM5	P2RFC-2196-195	Jumper / 5 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-D2D2-W01	P2RFC-2636-12	Jumper / 1 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-W02	P2RFC-2636-24	Jumper / 2 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-W03	P2RFC-2636-36	Jumper / 3 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-W04	P2RFC-2636-48	Jumper / 4 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-W05	P2RFC-2636-60	Jumper / 5 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-W06	P2RFC-2636-72	Jumper / 6 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-W10	P2RFC-2636-120	Jumper / 10 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-WM1	P2RFC-2636-39	Jumper / 1 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-WM2	P2RFC-2636-78	Jumper / 2 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2D2-WM5	P2RFC-2636-195	Jumper / 5 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-W01	P2RFC-2646-12	Jumper / 1 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-W02	P2RFC-2646-24	Jumper / 2 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-W03	P2RFC-2646-36	Jumper / 3 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-W04	P2RFC-2646-48	Jumper / 4 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-W05	P2RFC-2646-60	Jumper / 5 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-W06	P2RFC-2646-72	Jumper / 6 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-W10	P2RFC-2646-120	Jumper / 10 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-WM1	P2RFC-2646-39	Jumper / 1 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-WM2	P2RFC-2646-78	Jumper / 2 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2DF-WM5	P2RFC-2646-195	Jumper / 5 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-D2N1-W01	P2RFC-2266-12	Jumper / 1 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-W02	P2RFC-2266-24	Jumper / 2 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-W03	P2RFC-2266-36	Jumper / 3 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-W04	P2RFC-2266-48	Jumper / 4 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-W05	P2RFC-2266-60	Jumper / 5 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-W06	P2RFC-2266-72	Jumper / 6 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-W10	P2RFC-2266-120	Jumper / 10 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-WM1	P2RFC-2266-39	Jumper / 1 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-WM2	P2RFC-2266-78	Jumper / 2 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2N1-WM5	P2RFC-2266-195	Jumper / 5 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-W01	P2RFC-2639-12	Jumper / 1 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-W02	P2RFC-2639-24	Jumper / 2 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-W03	P2RFC-2639-36	Jumper / 3 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-W04	P2RFC-2639-48	Jumper / 4 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-W05	P2RFC-2639-60	Jumper / 5 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-W06	P2RFC-2639-72	Jumper / 6 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-W10	P2RFC-2639-120	Jumper / 10 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-WM1	P2RFC-2639-39	Jumper / 1 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-WM2	P2RFC-2639-78	Jumper / 2 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-D2NF-WM5	P2RFC-2639-195	Jumper / 5 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-N1N1-W01	P2RFC-2072-12	Jumper / 1 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-W02	P2RFC-2072-24	Jumper / 2 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-W03	P2RFC-2072-36	Jumper / 3 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-W04	P2RFC-2072-48	Jumper / 4 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-W05	P2RFC-2072-60	Jumper / 5 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-W06	P2RFC-2072-72	Jumper / 6 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-W10	P2RFC-2072-120	Jumper / 10 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-WM1	P2RFC-2072-39	Jumper / 1 m / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-WM2	P2RFC-2072-78	Jumper / 2 m / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N1-WM5	P2RFC-2072-195	Jumper / 5 m / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-W01	P2RFC-2265-12	Jumper / 1 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-W02	P2RFC-2265-24	Jumper / 2 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-W03	P2RFC-2265-36	Jumper / 3 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-W04	P2RFC-2265-48	Jumper / 4 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-W05	P2RFC-2265-60	Jumper / 5 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-W06	P2RFC-2265-72	Jumper / 6 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-W10	P2RFC-2265-120	Jumper / 10 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-WM1	P2RFC-2265-39	Jumper / 1 m / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-WM2	P2RFC-2265-78	Jumper / 2 m / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1N2-WM5	P2RFC-2265-195	Jumper / 5 m / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-N1NF-W01	P2RFC-2184-12	Jumper / 1 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-W02	P2RFC-2184-24	Jumper / 2 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-W03	P2RFC-2184-36	Jumper / 3 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-W04	P2RFC-2184-48	Jumper / 4 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-W05	P2RFC-2184-60	Jumper / 5 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-W06	P2RFC-2184-72	Jumper / 6 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-W10	P2RFC-2184-120	Jumper / 10 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-WM1	P2RFC-2184-39	Jumper / 1 m / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-WM2	P2RFC-2184-78	Jumper / 2 m / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1NF-WM5	P2RFC-2184-195	Jumper / 5 m / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-W01	P2RFC-2244-12	Jumper / 1 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-W02	P2RFC-2244-24	Jumper / 2 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-W03	P2RFC-2244-36	Jumper / 3 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-W04	P2RFC-2244-48	Jumper / 4 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-W05	P2RFC-2244-60	Jumper / 5 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-W06	P2RFC-2244-72	Jumper / 6 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-W10	P2RFC-2244-120	Jumper / 10 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-WM1	P2RFC-2244-39	Jumper / 1 m / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-WM2	P2RFC-2244-78	Jumper / 2 m / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N1S1-WM5	P2RFC-2244-195	Jumper / 5 m / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-N2N2-W01	P2RFC-2264-12	Jumper / 1 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-W02	P2RFC-2264-24	Jumper / 2 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-W03	P2RFC-2264-36	Jumper / 3 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-W04	P2RFC-2264-48	Jumper / 4 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-W05	P2RFC-2264-60	Jumper / 5 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-W06	P2RFC-2264-72	Jumper / 6 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-W10	P2RFC-2264-120	Jumper / 10 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-WM1	P2RFC-2264-39	Jumper / 1 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-WM2	P2RFC-2264-78	Jumper / 2 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2N2-WM5	P2RFC-2264-195	Jumper / 5 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-W01	P2RFC-2654-12	Jumper / 1 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-W02	P2RFC-2654-24	Jumper / 2 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-W03	P2RFC-2654-36	Jumper / 3 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-W04	P2RFC-2654-48	Jumper / 4 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-W05	P2RFC-2654-60	Jumper / 5 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-W06	P2RFC-2654-72	Jumper / 6 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-W10	P2RFC-2654-120	Jumper / 10 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-WM1	P2RFC-2654-39	Jumper / 1 m / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-WM2	P2RFC-2654-78	Jumper / 2 m / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2NF-WM5	P2RFC-2654-195	Jumper / 5 m / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PLA44-N2S1-W01	P2RFC-2656-12	Jumper / 1 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-W02	P2RFC-2656-24	Jumper / 2 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-W03	P2RFC-2656-36	Jumper / 3 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-W04	P2RFC-2656-48	Jumper / 4 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-W05	P2RFC-2656-60	Jumper / 5 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-W06	P2RFC-2656-72	Jumper / 6 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-W10	P2RFC-2656-120	Jumper / 10 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-WM1	P2RFC-2656-39	Jumper / 1 m / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-WM2	P2RFC-2656-78	Jumper / 2 m / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PLA44-N2S1-WM5	P2RFC-2656-195	Jumper / 5 m / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
ConductRF	PNA29-3131-W01	P2RFC-2275-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-W02	P2RFC-2275-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-W03	P2RFC-2275-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-W04	P2RFC-2275-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-W05	P2RFC-2275-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-W06	P2RFC-2275-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-W10	P2RFC-2275-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-WM1	P2RFC-2275-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-WM2	P2RFC-2275-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3131-WM5	P2RFC-2275-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-3132-W01	P2RFC-2516-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-W02	P2RFC-2516-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-W03	P2RFC-2516-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-W04	P2RFC-2516-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-W05	P2RFC-2516-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-W06	P2RFC-2516-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-W10	P2RFC-2516-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-WM1	P2RFC-2516-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-WM2	P2RFC-2516-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-3132-WM5	P2RFC-2516-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-W01	P2RFC-2331-12	Jumper / 1 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-W02	P2RFC-2331-24	Jumper / 2 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-W03	P2RFC-2331-36	Jumper / 3 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-W04	P2RFC-2331-48	Jumper / 4 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-W05	P2RFC-2331-60	Jumper / 5 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-W06	P2RFC-2331-72	Jumper / 6 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-W10	P2RFC-2331-120	Jumper / 10 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-WM1	P2RFC-2331-39	Jumper / 1 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-WM2	P2RFC-2331-78	Jumper / 2 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31N1-WM5	P2RFC-2331-195	Jumper / 5 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-31NF-W01	P2RFC-2330-12	Jumper / 1 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-W02	P2RFC-2330-24	Jumper / 2 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-W03	P2RFC-2330-36	Jumper / 3 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-W04	P2RFC-2330-48	Jumper / 4 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-W05	P2RFC-2330-60	Jumper / 5 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-W06	P2RFC-2330-72	Jumper / 6 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-W10	P2RFC-2330-120	Jumper / 10 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-WM1	P2RFC-2330-39	Jumper / 1 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-WM2	P2RFC-2330-78	Jumper / 2 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-31NF-WM5	P2RFC-2330-195	Jumper / 5 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-W01	P2RFC-2070-12	Jumper / 1 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-W02	P2RFC-2070-24	Jumper / 2 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-W03	P2RFC-2070-36	Jumper / 3 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-W04	P2RFC-2070-48	Jumper / 4 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-W05	P2RFC-2070-60	Jumper / 5 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-W06	P2RFC-2070-72	Jumper / 6 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-W10	P2RFC-2070-120	Jumper / 10 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-WM1	P2RFC-2070-39	Jumper / 1 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-WM2	P2RFC-2070-78	Jumper / 2 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-4141-WM5	P2RFC-2070-195	Jumper / 5 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-41N1-W01	P2RFC-2069-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-W02	P2RFC-2069-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-W03	P2RFC-2069-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-W04	P2RFC-2069-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-W05	P2RFC-2069-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-W06	P2RFC-2069-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-W10	P2RFC-2069-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-WM1	P2RFC-2069-39	Jumper / 1 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-WM2	P2RFC-2069-78	Jumper / 2 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41N1-WM5	P2RFC-2069-195	Jumper / 5 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-W01	P2RFC-2214-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-W02	P2RFC-2214-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-W03	P2RFC-2214-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-W04	P2RFC-2214-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-W05	P2RFC-2214-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-W06	P2RFC-2214-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-W10	P2RFC-2214-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-WM1	P2RFC-2214-39	Jumper / 1 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-WM2	P2RFC-2214-78	Jumper / 2 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-41NF-WM5	P2RFC-2214-195	Jumper / 5 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-D131-W01	P2RFC-2305-12	Jumper / 1 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-W02	P2RFC-2305-24	Jumper / 2 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-W03	P2RFC-2305-36	Jumper / 3 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-W04	P2RFC-2305-48	Jumper / 4 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-W05	P2RFC-2305-60	Jumper / 5 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-W06	P2RFC-2305-72	Jumper / 6 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-W10	P2RFC-2305-120	Jumper / 10 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-WM1	P2RFC-2305-39	Jumper / 1 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-WM2	P2RFC-2305-78	Jumper / 2 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D131-WM5	P2RFC-2305-195	Jumper / 5 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-W01	P2RFC-2419-12	Jumper / 1 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-W02	P2RFC-2419-24	Jumper / 2 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-W03	P2RFC-2419-36	Jumper / 3 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-W04	P2RFC-2419-48	Jumper / 4 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-W05	P2RFC-2419-60	Jumper / 5 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-W06	P2RFC-2419-72	Jumper / 6 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-W10	P2RFC-2419-120	Jumper / 10 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-WM1	P2RFC-2419-39	Jumper / 1 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-WM2	P2RFC-2419-78	Jumper / 2 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D141-WM5	P2RFC-2419-195	Jumper / 5 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-D1D1-W01	P2RFC-2066-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-W02	P2RFC-2066-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-W03	P2RFC-2066-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-W04	P2RFC-2066-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-W05	P2RFC-2066-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-W06	P2RFC-2066-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-W10	P2RFC-2066-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-WM1	P2RFC-2066-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-WM2	P2RFC-2066-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D1-WM5	P2RFC-2066-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-W01	P2RFC-2322-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-W02	P2RFC-2322-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-W03	P2RFC-2322-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-W04	P2RFC-2322-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-W05	P2RFC-2322-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-W06	P2RFC-2322-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-W10	P2RFC-2322-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-WM1	P2RFC-2322-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-WM2	P2RFC-2322-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1D2-WM5	P2RFC-2322-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-D1DF-W01	P2RFC-2630-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-W02	P2RFC-2630-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-W03	P2RFC-2630-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-W04	P2RFC-2630-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-W05	P2RFC-2630-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-W06	P2RFC-2630-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-W10	P2RFC-2630-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-WM1	P2RFC-2630-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-WM2	P2RFC-2630-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1DF-WM5	P2RFC-2630-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-W01	P2RFC-2065-12	Jumper / 1 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-W02	P2RFC-2065-24	Jumper / 2 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-W03	P2RFC-2065-36	Jumper / 3 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-W04	P2RFC-2065-48	Jumper / 4 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-W05	P2RFC-2065-60	Jumper / 5 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-W06	P2RFC-2065-72	Jumper / 6 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-W10	P2RFC-2065-120	Jumper / 10 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-WM1	P2RFC-2065-39	Jumper / 1 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-WM2	P2RFC-2065-78	Jumper / 2 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1N1-WM5	P2RFC-2065-195	Jumper / 5 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-D1NF-W01	P2RFC-2229-12	Jumper / 1 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-W02	P2RFC-2229-24	Jumper / 2 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-W03	P2RFC-2229-36	Jumper / 3 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-W04	P2RFC-2229-48	Jumper / 4 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-W05	P2RFC-2229-60	Jumper / 5 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-W06	P2RFC-2229-72	Jumper / 6 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-W10	P2RFC-2229-120	Jumper / 10 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-WM1	P2RFC-2229-39	Jumper / 1 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-WM2	P2RFC-2229-78	Jumper / 2 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D1NF-WM5	P2RFC-2229-195	Jumper / 5 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-W01	P2RFC-2321-12	Jumper / 1 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-W02	P2RFC-2321-24	Jumper / 2 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-W03	P2RFC-2321-36	Jumper / 3 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-W04	P2RFC-2321-48	Jumper / 4 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-W05	P2RFC-2321-60	Jumper / 5 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-W06	P2RFC-2321-72	Jumper / 6 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-W10	P2RFC-2321-120	Jumper / 10 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-WM1	P2RFC-2321-39	Jumper / 1 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-WM2	P2RFC-2321-78	Jumper / 2 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2D2-WM5	P2RFC-2321-195	Jumper / 5 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-D2NF-W01	P2RFC-2641-12	Jumper / 1 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-W02	P2RFC-2641-24	Jumper / 2 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-W03	P2RFC-2641-36	Jumper / 3 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-W04	P2RFC-2641-48	Jumper / 4 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-W05	P2RFC-2641-60	Jumper / 5 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-W06	P2RFC-2641-72	Jumper / 6 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-W10	P2RFC-2641-120	Jumper / 10 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-WM1	P2RFC-2641-39	Jumper / 1 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-WM2	P2RFC-2641-78	Jumper / 2 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-D2NF-WM5	P2RFC-2641-195	Jumper / 5 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-W01	P2RFC-2064-12	Jumper / 1 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-W02	P2RFC-2064-24	Jumper / 2 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-W03	P2RFC-2064-36	Jumper / 3 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-W04	P2RFC-2064-48	Jumper / 4 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-W05	P2RFC-2064-60	Jumper / 5 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-W06	P2RFC-2064-72	Jumper / 6 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-W10	P2RFC-2064-120	Jumper / 10 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-WM1	P2RFC-2064-39	Jumper / 1 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-WM2	P2RFC-2064-78	Jumper / 2 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N1-WM5	P2RFC-2064-195	Jumper / 5 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-N1N2-W01	P2RFC-2217-12	Jumper / 1 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-W02	P2RFC-2217-24	Jumper / 2 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-W03	P2RFC-2217-36	Jumper / 3 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-W04	P2RFC-2217-48	Jumper / 4 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-W05	P2RFC-2217-60	Jumper / 5 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-W06	P2RFC-2217-72	Jumper / 6 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-W10	P2RFC-2217-120	Jumper / 10 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-WM1	P2RFC-2217-39	Jumper / 1 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-WM2	P2RFC-2217-78	Jumper / 2 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1N2-WM5	P2RFC-2217-195	Jumper / 5 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-W01	P2RFC-2175-12	Jumper / 1 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-W02	P2RFC-2175-24	Jumper / 2 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-W03	P2RFC-2175-36	Jumper / 3 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-W04	P2RFC-2175-48	Jumper / 4 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-W05	P2RFC-2175-60	Jumper / 5 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-W06	P2RFC-2175-72	Jumper / 6 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-W10	P2RFC-2175-120	Jumper / 10 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-WM1	P2RFC-2175-39	Jumper / 1 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-WM2	P2RFC-2175-78	Jumper / 2 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N1NF-WM5	P2RFC-2175-195	Jumper / 5 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-N2N2-W01	P2RFC-2216-12	Jumper / 1 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-W02	P2RFC-2216-24	Jumper / 2 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-W03	P2RFC-2216-36	Jumper / 3 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-W04	P2RFC-2216-48	Jumper / 4 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-W05	P2RFC-2216-60	Jumper / 5 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-W06	P2RFC-2216-72	Jumper / 6 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-W10	P2RFC-2216-120	Jumper / 10 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-WM1	P2RFC-2216-39	Jumper / 1 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-WM2	P2RFC-2216-78	Jumper / 2 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2N2-WM5	P2RFC-2216-195	Jumper / 5 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-W01	P2RFC-2220-12	Jumper / 1 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-W02	P2RFC-2220-24	Jumper / 2 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-W03	P2RFC-2220-36	Jumper / 3 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-W04	P2RFC-2220-48	Jumper / 4 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-W05	P2RFC-2220-60	Jumper / 5 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-W06	P2RFC-2220-72	Jumper / 6 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-W10	P2RFC-2220-120	Jumper / 10 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-WM1	P2RFC-2220-39	Jumper / 1 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-WM2	P2RFC-2220-78	Jumper / 2 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2NF-WM5	P2RFC-2220-195	Jumper / 5 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNA29-N2S1-W01	P2RFC-2258-12	Jumper / 1 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-W02	P2RFC-2258-24	Jumper / 2 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-W03	P2RFC-2258-36	Jumper / 3 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-W04	P2RFC-2258-48	Jumper / 4 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-W05	P2RFC-2258-60	Jumper / 5 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-W06	P2RFC-2258-72	Jumper / 6 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-W10	P2RFC-2258-120	Jumper / 10 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-WM1	P2RFC-2258-39	Jumper / 1 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-WM2	P2RFC-2258-78	Jumper / 2 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S1-WM5	P2RFC-2258-195	Jumper / 5 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-W01	P2RFC-2279-12	Jumper / 1 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-W02	P2RFC-2279-24	Jumper / 2 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-W03	P2RFC-2279-36	Jumper / 3 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-W04	P2RFC-2279-48	Jumper / 4 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-W05	P2RFC-2279-60	Jumper / 5 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-W06	P2RFC-2279-72	Jumper / 6 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-W10	P2RFC-2279-120	Jumper / 10 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-WM1	P2RFC-2279-39	Jumper / 1 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-WM2	P2RFC-2279-78	Jumper / 2 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNA29-N2S2-WM5	P2RFC-2279-195	Jumper / 5 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-3131-W01	P2RFC-2275-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-W02	P2RFC-2275-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-W03	P2RFC-2275-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-W04	P2RFC-2275-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-W05	P2RFC-2275-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-W06	P2RFC-2275-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-W10	P2RFC-2275-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-WM1	P2RFC-2275-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-WM2	P2RFC-2275-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3131-WM5	P2RFC-2275-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-W01	P2RFC-2516-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-W02	P2RFC-2516-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-W03	P2RFC-2516-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-W04	P2RFC-2516-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-W05	P2RFC-2516-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-W06	P2RFC-2516-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-W10	P2RFC-2516-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-WM1	P2RFC-2516-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-WM2	P2RFC-2516-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-3132-WM5	P2RFC-2516-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-31N1-W01	P2RFC-2331-12	Jumper / 1 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-W02	P2RFC-2331-24	Jumper / 2 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-W03	P2RFC-2331-36	Jumper / 3 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-W04	P2RFC-2331-48	Jumper / 4 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-W05	P2RFC-2331-60	Jumper / 5 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-W06	P2RFC-2331-72	Jumper / 6 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-W10	P2RFC-2331-120	Jumper / 10 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-WM1	P2RFC-2331-39	Jumper / 1 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-WM2	P2RFC-2331-78	Jumper / 2 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31N1-WM5	P2RFC-2331-195	Jumper / 5 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-W01	P2RFC-2330-12	Jumper / 1 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-W02	P2RFC-2331-24	Jumper / 2 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-W03	P2RFC-2332-36	Jumper / 3 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-W04	P2RFC-2333-48	Jumper / 4 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-W05	P2RFC-2334-60	Jumper / 5 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-W06	P2RFC-2335-72	Jumper / 6 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-W10	P2RFC-2336-120	Jumper / 10 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-WM1	P2RFC-2337-39	Jumper / 1 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-WM2	P2RFC-2338-78	Jumper / 2 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-31NF-WM5	P2RFC-2339-195	Jumper / 5 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-4141-W01	P2RFC-2070-12	Jumper / 1 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-W02	P2RFC-2070-24	Jumper / 2 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-W03	P2RFC-2070-36	Jumper / 3 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-W04	P2RFC-2070-48	Jumper / 4 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-W05	P2RFC-2070-60	Jumper / 5 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-W06	P2RFC-2070-72	Jumper / 6 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-W10	P2RFC-2070-120	Jumper / 10 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-WM1	P2RFC-2070-39	Jumper / 1 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-WM2	P2RFC-2070-78	Jumper / 2 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-4141-WM5	P2RFC-2070-195	Jumper / 5 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-W01	P2RFC-2069-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-W02	P2RFC-2069-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-W03	P2RFC-2069-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-W04	P2RFC-2069-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-W05	P2RFC-2069-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-W06	P2RFC-2069-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-W10	P2RFC-2069-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-WM1	P2RFC-2069-39	Jumper / 1 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-WM2	P2RFC-2069-78	Jumper / 2 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41N1-WM5	P2RFC-2069-195	Jumper / 5 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-41NF-W01	P2RFC-2214-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-W02	P2RFC-2214-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-W03	P2RFC-2214-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-W04	P2RFC-2214-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-W05	P2RFC-2214-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-W06	P2RFC-2214-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-W10	P2RFC-2214-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-WM1	P2RFC-2214-39	Jumper / 1 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-WM2	P2RFC-2214-78	Jumper / 2 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-41NF-WM5	P2RFC-2214-195	Jumper / 5 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-W01	P2RFC-2305-12	Jumper / 1 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-W02	P2RFC-2305-24	Jumper / 2 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-W03	P2RFC-2305-36	Jumper / 3 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-W04	P2RFC-2305-48	Jumper / 4 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-W05	P2RFC-2305-60	Jumper / 5 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-W06	P2RFC-2305-72	Jumper / 6 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-W10	P2RFC-2305-120	Jumper / 10 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-WM1	P2RFC-2305-39	Jumper / 1 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-WM2	P2RFC-2305-78	Jumper / 2 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D131-WM5	P2RFC-2305-195	Jumper / 5 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-D141-W01	P2RFC-2071-12	Jumper / 1 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-W02	P2RFC-2071-24	Jumper / 2 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-W03	P2RFC-2071-36	Jumper / 3 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-W04	P2RFC-2071-48	Jumper / 4 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-W05	P2RFC-2071-60	Jumper / 5 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-W06	P2RFC-2071-72	Jumper / 6 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-W10	P2RFC-2071-120	Jumper / 10 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-WM1	P2RFC-2071-39	Jumper / 1 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-WM2	P2RFC-2071-78	Jumper / 2 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D141-WM5	P2RFC-2071-195	Jumper / 5 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-W01	P2RFC-2066-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-W02	P2RFC-2066-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-W03	P2RFC-2066-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-W04	P2RFC-2066-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-W05	P2RFC-2066-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-W06	P2RFC-2066-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-W10	P2RFC-2066-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-WM1	P2RFC-2066-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-WM2	P2RFC-2066-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D1-WM5	P2RFC-2066-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-D1D2-W01	P2RFC-2322-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-W02	P2RFC-2322-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-W03	P2RFC-2322-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-W04	P2RFC-2322-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-W05	P2RFC-2322-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-W06	P2RFC-2322-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-W10	P2RFC-2322-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-WM1	P2RFC-2322-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-WM2	P2RFC-2322-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1D2-WM5	P2RFC-2322-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-W01	P2RFC-2189-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-W02	P2RFC-2189-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-W03	P2RFC-2189-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-W04	P2RFC-2189-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-W05	P2RFC-2189-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-W06	P2RFC-2189-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-W10	P2RFC-2189-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-WM1	P2RFC-2189-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-WM2	P2RFC-2189-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1DF-WM5	P2RFC-2189-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-D1N1-W01	P2RFC-2065-12	Jumper / 1 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-W02	P2RFC-2065-24	Jumper / 2 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-W03	P2RFC-2065-36	Jumper / 3 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-W04	P2RFC-2065-48	Jumper / 4 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-W05	P2RFC-2065-60	Jumper / 5 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-W06	P2RFC-2065-72	Jumper / 6 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-W10	P2RFC-2065-120	Jumper / 10 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-WM1	P2RFC-2065-39	Jumper / 1 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-WM2	P2RFC-2065-78	Jumper / 2 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1N1-WM5	P2RFC-2065-195	Jumper / 5 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-W01	P2RFC-2229-12	Jumper / 1 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-W02	P2RFC-2229-24	Jumper / 2 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-W03	P2RFC-2229-36	Jumper / 3 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-W04	P2RFC-2229-48	Jumper / 4 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-W05	P2RFC-2229-60	Jumper / 5 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-W06	P2RFC-2229-72	Jumper / 6 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-W10	P2RFC-2229-120	Jumper / 10 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-WM1	P2RFC-2229-39	Jumper / 1 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-WM2	P2RFC-2229-78	Jumper / 2 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D1NF-WM5	P2RFC-2229-195	Jumper / 5 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-D2D2-W01	P2RFC-2321-12	Jumper / 1 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-W02	P2RFC-2321-24	Jumper / 2 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-W03	P2RFC-2321-36	Jumper / 3 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-W04	P2RFC-2321-48	Jumper / 4 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-W05	P2RFC-2321-60	Jumper / 5 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-W06	P2RFC-2321-72	Jumper / 6 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-W10	P2RFC-2321-120	Jumper / 10 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-WM1	P2RFC-2321-39	Jumper / 1 m / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-WM2	P2RFC-2321-78	Jumper / 2 m / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2D2-WM5	P2RFC-2321-195	Jumper / 5 m / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-W01	P2RFC-2509-12	Jumper / 1 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-W02	P2RFC-2509-24	Jumper / 2 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-W03	P2RFC-2509-36	Jumper / 3 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-W04	P2RFC-2509-48	Jumper / 4 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-W05	P2RFC-2509-60	Jumper / 5 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-W06	P2RFC-2509-72	Jumper / 6 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-W10	P2RFC-2509-120	Jumper / 10 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-WM1	P2RFC-2509-39	Jumper / 1 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-WM2	P2RFC-2509-78	Jumper / 2 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2DF-WM5	P2RFC-2509-195	Jumper / 5 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-D2N1-W01	P2RFC-2408-12	Jumper / 1 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-W02	P2RFC-2408-24	Jumper / 2 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-W03	P2RFC-2408-36	Jumper / 3 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-W04	P2RFC-2408-48	Jumper / 4 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-W05	P2RFC-2408-60	Jumper / 5 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-W06	P2RFC-2408-72	Jumper / 6 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-W10	P2RFC-2408-120	Jumper / 10 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-WM1	P2RFC-2408-39	Jumper / 1 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-WM2	P2RFC-2408-78	Jumper / 2 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2N1-WM5	P2RFC-2408-195	Jumper / 5 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-W01	P2RFC-2457-12	Jumper / 1 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-W02	P2RFC-2457-24	Jumper / 2 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-W03	P2RFC-2457-36	Jumper / 3 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-W04	P2RFC-2457-48	Jumper / 4 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-W05	P2RFC-2457-60	Jumper / 5 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-W06	P2RFC-2457-72	Jumper / 6 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-W10	P2RFC-2457-120	Jumper / 10 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-WM1	P2RFC-2457-39	Jumper / 1 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-WM2	P2RFC-2457-78	Jumper / 2 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-D2NF-WM5	P2RFC-2457-195	Jumper / 5 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-N1N1-W01	P2RFC-1411-12	Jumper / 1 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-W02	P2RFC-1411-24	Jumper / 2 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-W03	P2RFC-1411-36	Jumper / 3 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-W04	P2RFC-1411-48	Jumper / 4 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-W05	P2RFC-1411-60	Jumper / 5 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-W06	P2RFC-1411-72	Jumper / 6 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-W10	P2RFC-1411-120	Jumper / 10 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-WM1	P2RFC-1411-39	Jumper / 1 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-WM2	P2RFC-1411-78	Jumper / 2 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N1-WM5	P2RFC-1411-195	Jumper / 5 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-W01	P2RFC-2217-12	Jumper / 1 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-W02	P2RFC-2217-24	Jumper / 2 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-W03	P2RFC-2217-36	Jumper / 3 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-W04	P2RFC-2217-48	Jumper / 4 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-W05	P2RFC-2217-60	Jumper / 5 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-W06	P2RFC-2217-72	Jumper / 6 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-W10	P2RFC-2217-120	Jumper / 10 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-WM1	P2RFC-2217-39	Jumper / 1 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-WM2	P2RFC-2217-78	Jumper / 2 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1N2-WM5	P2RFC-2217-195	Jumper / 5 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-N1NF-W01	P2RFC-2175-12	Jumper / 1 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-W02	P2RFC-2175-24	Jumper / 2 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-W03	P2RFC-2175-36	Jumper / 3 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-W04	P2RFC-2175-48	Jumper / 4 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-W05	P2RFC-2175-60	Jumper / 5 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-W06	P2RFC-2175-72	Jumper / 6 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-W10	P2RFC-2175-120	Jumper / 10 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-WM1	P2RFC-2175-39	Jumper / 1 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-WM2	P2RFC-2175-78	Jumper / 2 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1NF-WM5	P2RFC-2175-195	Jumper / 5 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-W01	P2RFC-2068-12	Jumper / 1 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-W02	P2RFC-2068-24	Jumper / 2 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-W03	P2RFC-2068-36	Jumper / 3 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-W04	P2RFC-2068-48	Jumper / 4 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-W05	P2RFC-2068-60	Jumper / 5 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-W06	P2RFC-2068-72	Jumper / 6 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-W10	P2RFC-2068-120	Jumper / 10 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-WM1	P2RFC-2068-39	Jumper / 1 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-WM2	P2RFC-2068-78	Jumper / 2 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N1S1-WM5	P2RFC-2068-195	Jumper / 5 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-N2N2-W01	P2RFC-2216-12	Jumper / 1 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-W02	P2RFC-2216-24	Jumper / 2 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-W03	P2RFC-2216-36	Jumper / 3 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-W04	P2RFC-2216-48	Jumper / 4 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-W05	P2RFC-2216-60	Jumper / 5 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-W06	P2RFC-2216-72	Jumper / 6 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-W10	P2RFC-2216-120	Jumper / 10 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-WM1	P2RFC-2216-39	Jumper / 1 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-WM2	P2RFC-2216-78	Jumper / 2 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2N2-WM5	P2RFC-2216-195	Jumper / 5 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-W01	P2RFC-2220-12	Jumper / 1 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-W02	P2RFC-2220-24	Jumper / 2 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-W03	P2RFC-2220-36	Jumper / 3 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-W04	P2RFC-2220-48	Jumper / 4 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-W05	P2RFC-2220-60	Jumper / 5 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-W06	P2RFC-2220-72	Jumper / 6 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-W10	P2RFC-2220-120	Jumper / 10 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-WM1	P2RFC-2220-39	Jumper / 1 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-WM2	P2RFC-2220-78	Jumper / 2 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2NF-WM5	P2RFC-2220-195	Jumper / 5 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

ConductRF

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
ConductRF	PNB29-N2S1-W01	P2RFC-2258-12	Jumper / 1 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-W02	P2RFC-2258-24	Jumper / 2 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-W03	P2RFC-2258-36	Jumper / 3 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-W04	P2RFC-2258-48	Jumper / 4 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-W05	P2RFC-2258-60	Jumper / 5 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-W06	P2RFC-2258-72	Jumper / 6 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-W10	P2RFC-2258-120	Jumper / 10 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-WM1	P2RFC-2258-39	Jumper / 1 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-WM2	P2RFC-2258-78	Jumper / 2 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S1-WM5	P2RFC-2258-195	Jumper / 5 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-W01	P2RFC-2279-12	Jumper / 1 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-W02	P2RFC-2279-24	Jumper / 2 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-W03	P2RFC-2279-36	Jumper / 3 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-W04	P2RFC-2279-48	Jumper / 4 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-W05	P2RFC-2279-60	Jumper / 5 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-W06	P2RFC-2279-72	Jumper / 6 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-W10	P2RFC-2279-120	Jumper / 10 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-WM1	P2RFC-2279-39	Jumper / 1 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-WM2	P2RFC-2279-78	Jumper / 2 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
ConductRF	PNB29-N2S2-WM5	P2RFC-2279-195	Jumper / 5 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	FMP29-N1N1-W01	P2RFC-2000-12	Jumper / 1 ft / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-W02	P2RFC-2000--24	Jumper / 2 ft / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-W03	P2RFC-2000--36	Jumper / 3 ft / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-W04	P2RFC-2000-48	Jumper / 4 ft / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-W05	P2RFC-2000-60	Jumper / 5 ft / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-W06	P2RFC-2000-72	Jumper / 6 ft / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-W10	P2RFC-2000--120	Jumper / 10 ft / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-WM1	P2RFC-2000--39	Jumper / 1 m / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-WM2	P2RFC-2000--78	Jumper / 2 m / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	FMP29-N1N1-WM5	P2RFC-2000--195	Jumper / 5 m / N Male - N Male / Low PIM / .141 Hand Formable (A29CPJ) / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-W01	P2RFC-2269-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-W02	P2RFC-2269-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-W03	P2RFC-2269-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-W04	P2RFC-2269-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-W05	P2RFC-2269-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-W06	P2RFC-2269-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-W10	P2RFC-2269-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-WM1	P2RFC-2269-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-WM2	P2RFC-2269-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3131-WM5	P2RFC-2269-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-3132-W01	P2RFC-2628-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-W02	P2RFC-2628-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-W03	P2RFC-2628-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-W04	P2RFC-2628-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-W05	P2RFC-2628-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-W06	P2RFC-2628-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-W10	P2RFC-2628-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-WM1	P2RFC-2628-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-WM2	P2RFC-2628-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-3132-WM5	P2RFC-2628-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-W01	P2RFC-2328-12	Jumper / 1 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-W02	P2RFC-2328-24	Jumper / 2 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-W03	P2RFC-2328-36	Jumper / 3 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-W04	P2RFC-2328-48	Jumper / 4 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-W05	P2RFC-2328-60	Jumper / 5 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-W06	P2RFC-2328-72	Jumper / 6 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-W10	P2RFC-2328-120	Jumper / 10 ft / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-WM1	P2RFC-2328-39	Jumper / 1 m / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-WM2	P2RFC-2328-78	Jumper / 2 m / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31N1-WM5	P2RFC-2328-195	Jumper / 5 m / Din 4.3/10 Male - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-31NF-W01	P2RFC-2302-12	Jumper / 1 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-W02	P2RFC-2302-24	Jumper / 2 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-W03	P2RFC-2302-36	Jumper / 3 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-W04	P2RFC-2302-48	Jumper / 4 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-W05	P2RFC-2302-60	Jumper / 5 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-W06	P2RFC-2302-72	Jumper / 6 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-W10	P2RFC-2302-120	Jumper / 10 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-WM1	P2RFC-2302-39	Jumper / 1 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-WM2	P2RFC-2302-78	Jumper / 2 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-31NF-WM5	P2RFC-2302-195	Jumper / 5 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-W01	P2RFC-2621-12	Jumper / 1 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-W02	P2RFC-2621-24	Jumper / 2 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-W03	P2RFC-2621-36	Jumper / 3 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-W04	P2RFC-2621-48	Jumper / 4 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-W05	P2RFC-2621-60	Jumper / 5 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-W06	P2RFC-2621-72	Jumper / 6 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-W10	P2RFC-2621-120	Jumper / 10 ft / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-WM1	P2RFC-2621-39	Jumper / 1 m / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-WM2	P2RFC-2621-78	Jumper / 2 m / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-32N1-WM5	P2RFC-2621-195	Jumper / 5 m / Din 4.3/10 Male R/A - N male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-4141-W01	P2RFC-2076-12	Jumper / 1 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-W02	P2RFC-2076-24	Jumper / 2 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-W03	P2RFC-2076-36	Jumper / 3 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-W04	P2RFC-2076-48	Jumper / 4 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-W05	P2RFC-2076-60	Jumper / 5 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-W06	P2RFC-2076-72	Jumper / 6 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-W10	P2RFC-2076-120	Jumper / 10 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-WM1	P2RFC-2076-39	Jumper / 1 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-WM2	P2RFC-2076-78	Jumper / 2 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-4141-WM5	P2RFC-2076-195	Jumper / 5 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-W01	P2RFC-2075-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-W02	P2RFC-2075-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-W03	P2RFC-2075-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-W04	P2RFC-2075-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-W05	P2RFC-2075-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-W06	P2RFC-2075-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-W10	P2RFC-2075-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-WM1	P2RFC-2075-39	Jumper / 1 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-WM2	P2RFC-2075-78	Jumper / 2 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41N1-WM5	P2RFC-2075-195	Jumper / 5 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-41NF-W01	P2RFC-2218-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-W02	P2RFC-2218-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-W03	P2RFC-2218-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-W04	P2RFC-2218-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-W05	P2RFC-2218-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-W06	P2RFC-2218-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-W10	P2RFC-2218-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-WM1	P2RFC-2218-39	Jumper / 1 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-WM2	P2RFC-2218-78	Jumper / 2 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-41NF-WM5	P2RFC-2218-195	Jumper / 5 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-W01	P2RFC-2329-12	Jumper / 1 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-W02	P2RFC-2329-24	Jumper / 2 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-W03	P2RFC-2329-36	Jumper / 3 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-W04	P2RFC-2329-48	Jumper / 4 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-W05	P2RFC-2329-60	Jumper / 5 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-W06	P2RFC-2329-72	Jumper / 6 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-W10	P2RFC-2329-120	Jumper / 10 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-WM1	P2RFC-2329-39	Jumper / 1 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-WM2	P2RFC-2329-78	Jumper / 2 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D131-WM5	P2RFC-2329-195	Jumper / 5 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-D141-W01	P2RFC-2077-12	Jumper / 1 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-W02	P2RFC-2077-24	Jumper / 2 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-W03	P2RFC-2077-36	Jumper / 3 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-W04	P2RFC-2077-48	Jumper / 4 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-W05	P2RFC-2077-60	Jumper / 5 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-W06	P2RFC-2077-72	Jumper / 6 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-W10	P2RFC-2077-120	Jumper / 10 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-WM1	P2RFC-2077-39	Jumper / 1 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-WM2	P2RFC-2077-78	Jumper / 2 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D141-WM5	P2RFC-2077-195	Jumper / 5 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-W01	P2RFC-2074-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-W02	P2RFC-2074-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-W03	P2RFC-2074-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-W04	P2RFC-2074-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-W05	P2RFC-2074-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-W06	P2RFC-2074-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-W10	P2RFC-2074-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-WM1	P2RFC-2074-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-WM2	P2RFC-2074-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D1-WM5	P2RFC-2074-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-D1D2-W01	P2RFC-2267-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-W02	P2RFC-2267-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-W03	P2RFC-2267-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-W04	P2RFC-2267-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-W05	P2RFC-2267-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-W06	P2RFC-2267-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-W10	P2RFC-2267-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-WM1	P2RFC-2267-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-WM2	P2RFC-2267-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1D2-WM5	P2RFC-2267-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-W01	P2RFC-2195-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-W02	P2RFC-2195-24	Jumper / 2 ft / Din 7/16 Male -Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-W03	P2RFC-2195-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-W04	P2RFC-2195-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-W05	P2RFC-2195-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-W06	P2RFC-2195-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-W10	P2RFC-2195-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-WM1	P2RFC-2195-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-WM2	P2RFC-2195-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1DF-WM5	P2RFC-2195-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-D1N1-W01	P2RFC-2073-12	Jumper / 1 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-W02	P2RFC-2073-24	Jumper / 2 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-W03	P2RFC-2073-36	Jumper / 3 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-W04	P2RFC-2073-48	Jumper / 4 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-W05	P2RFC-2073-60	Jumper / 5 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-W06	P2RFC-2073-72	Jumper / 6 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-W10	P2RFC-2073-120	Jumper / 10 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-WM1	P2RFC-2073-39	Jumper / 1 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-WM2	P2RFC-2073-78	Jumper / 2 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1N1-WM5	P2RFC-2073-195	Jumper / 5 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-W01	P2RFC-2196-12	Jumper / 1 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-W02	P2RFC-2196-24	Jumper / 2 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-W03	P2RFC-2196-36	Jumper / 3 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-W04	P2RFC-2196-48	Jumper / 4 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-W05	P2RFC-2196-60	Jumper / 5 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-W06	P2RFC-2196-72	Jumper / 6 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-W10	P2RFC-2196-120	Jumper / 10 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-WM1	P2RFC-2196-39	Jumper / 1 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-WM2	P2RFC-2196-78	Jumper / 2 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D1NF-WM5	P2RFC-2196-195	Jumper / 5 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-D2D2-W01	P2RFC-2636-12	Jumper / 1 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-W02	P2RFC-2636-24	Jumper / 2 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-W03	P2RFC-2636-36	Jumper / 3 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-W04	P2RFC-2636-48	Jumper / 4 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-W05	P2RFC-2636-60	Jumper / 5 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-W06	P2RFC-2636-72	Jumper / 6 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-W10	P2RFC-2636-120	Jumper / 10 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-WM1	P2RFC-2636-39	Jumper / 1 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-WM2	P2RFC-2636-78	Jumper / 2 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2D2-WM5	P2RFC-2636-195	Jumper / 5 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-W01	P2RFC-2266-12	Jumper / 1 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-W02	P2RFC-2266-24	Jumper / 2 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-W03	P2RFC-2266-36	Jumper / 3 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-W04	P2RFC-2266-48	Jumper / 4 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-W05	P2RFC-2266-60	Jumper / 5 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-W06	P2RFC-2266-72	Jumper / 6 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-W10	P2RFC-2266-120	Jumper / 10 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-WM1	P2RFC-2266-39	Jumper / 1 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-WM2	P2RFC-2266-78	Jumper / 2 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2N1-WM5	P2RFC-2266-195	Jumper / 5 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-D2NF-W01	P2RFC-2639-12	Jumper / 1 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-W02	P2RFC-2639-24	Jumper / 2 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-W03	P2RFC-2639-36	Jumper / 3 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-W04	P2RFC-2639-48	Jumper / 4 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-W05	P2RFC-2639-60	Jumper / 5 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-W06	P2RFC-2639-72	Jumper / 6 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-W10	P2RFC-2639-120	Jumper / 10 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-WM1	P2RFC-2639-39	Jumper / 1 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-WM2	P2RFC-2639-78	Jumper / 2 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-D2NF-WM5	P2RFC-2639-195	Jumper / 5 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-W01	P2RFC-2072-12	Jumper / 1 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-W02	P2RFC-2072-24	Jumper / 2 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-W03	P2RFC-2072-36	Jumper / 3 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-W04	P2RFC-2072-48	Jumper / 4 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-W05	P2RFC-2072-60	Jumper / 5 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-W06	P2RFC-2072-72	Jumper / 6 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-W10	P2RFC-2072-120	Jumper / 10 ft / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-WM1	P2RFC-2072-39	Jumper / 1 m / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-WM2	P2RFC-2072-78	Jumper / 2 m / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N1-WM5	P2RFC-2072-195	Jumper / 5 m / N Male - N Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-N1N2-W01	P2RFC-2265-12	Jumper / 1 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-W02	P2RFC-2265-24	Jumper / 2 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-W03	P2RFC-2265-36	Jumper / 3 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-W04	P2RFC-2265-48	Jumper / 4 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-W05	P2RFC-2265-60	Jumper / 5 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-W06	P2RFC-2265-72	Jumper / 6 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-W10	P2RFC-2265-120	Jumper / 10 ft / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-WM1	P2RFC-2265-39	Jumper / 1 m / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-WM2	P2RFC-2265-78	Jumper / 2 m / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1N2-WM5	P2RFC-2265-195	Jumper / 5 m / N Male - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-W01	P2RFC-2184-12	Jumper / 1 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-W02	P2RFC-2184-24	Jumper / 2 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-W03	P2RFC-2184-36	Jumper / 3 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-W04	P2RFC-2184-48	Jumper / 4 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-W05	P2RFC-2184-60	Jumper / 5 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-W06	P2RFC-2184-72	Jumper / 6 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-W10	P2RFC-2184-120	Jumper / 10 ft / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-WM1	P2RFC-2184-39	Jumper / 1 m / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-WM2	P2RFC-2184-78	Jumper / 2 m / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1NF-WM5	P2RFC-2184-195	Jumper / 5 m / N Male - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-N1S1-W01	P2RFC-2244-12	Jumper / 1 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-W02	P2RFC-2244-24	Jumper / 2 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-W03	P2RFC-2244-36	Jumper / 3 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-W04	P2RFC-2244-48	Jumper / 4 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-W05	P2RFC-2244-60	Jumper / 5 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-W06	P2RFC-2244-72	Jumper / 6 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-W10	P2RFC-2244-120	Jumper / 10 ft / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-WM1	P2RFC-2244-39	Jumper / 1 m / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-WM2	P2RFC-2244-78	Jumper / 2 m / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N1S1-WM5	P2RFC-2244-195	Jumper / 5 m / N Male - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-W01	P2RFC-2264-12	Jumper / 1 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-W02	P2RFC-2264-24	Jumper / 2 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-W03	P2RFC-2264-36	Jumper / 3 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-W04	P2RFC-2264-48	Jumper / 4 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-W05	P2RFC-2264-60	Jumper / 5 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-W06	P2RFC-2264-72	Jumper / 6 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-W10	P2RFC-2264-120	Jumper / 10 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-WM1	P2RFC-2264-39	Jumper / 1 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-WM2	P2RFC-2264-78	Jumper / 2 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2N2-WM5	P2RFC-2264-195	Jumper / 5 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-N2NF-W01	P2RFC-2654-12	Jumper / 1 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-W02	P2RFC-2654-24	Jumper / 2 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-W03	P2RFC-2654-36	Jumper / 3 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-W04	P2RFC-2654-48	Jumper / 4 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-W05	P2RFC-2654-60	Jumper / 5 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-W06	P2RFC-2654-72	Jumper / 6 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-W10	P2RFC-2654-120	Jumper / 10 ft / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-WM1	P2RFC-2654-39	Jumper / 1 m / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-WM2	P2RFC-2654-78	Jumper / 2 m / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2NF-WM5	P2RFC-2654-195	Jumper / 5 m / N Male R/A - N Female / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-W01	P2RFC-2656-12	Jumper / 1 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-W02	P2RFC-2656-24	Jumper / 2 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-W03	P2RFC-2656-36	Jumper / 3 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-W04	P2RFC-2656-48	Jumper / 4 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-W05	P2RFC-2656-60	Jumper / 5 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-W06	P2RFC-2656-72	Jumper / 6 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-W10	P2RFC-2656-120	Jumper / 10 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-WM1	P2RFC-2656-39	Jumper / 1 m / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-WM2	P2RFC-2656-78	Jumper / 2 m / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S1-WM5	P2RFC-2656-195	Jumper / 5 m / N Male R/A - SMA Male / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PLA44-N2S2-W01	P2RFC-2667-12	Jumper / 1 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-W02	P2RFC-2667-24	Jumper / 2 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-W03	P2RFC-2667-36	Jumper / 3 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-W04	P2RFC-2667-48	Jumper / 4 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-W05	P2RFC-2667-60	Jumper / 5 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-W06	P2RFC-2667-72	Jumper / 6 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-W10	P2RFC-2667-120	Jumper / 10 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-WM1	P2RFC-2667-39	Jumper / 1 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-WM2	P2RFC-2667-78	Jumper / 2 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PLA44-N2S2-WM5	P2RFC-2667-195	Jumper / 5 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / SPP250LLPL / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-W01	P2RFC-2275-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-W02	P2RFC-2275-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-W03	P2RFC-2275-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-W04	P2RFC-2275-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-W05	P2RFC-2275-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-W06	P2RFC-2275-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-W10	P2RFC-2275-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-WM1	P2RFC-2275-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-WM2	P2RFC-2275-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3131-WM5	P2RFC-2275-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-3132-W01	P2RFC-2516-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-W02	P2RFC-2516-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-W03	P2RFC-2516-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-W04	P2RFC-2516-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-W05	P2RFC-2516-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-W06	P2RFC-2516-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-W10	P2RFC-2516-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-WM1	P2RFC-2516-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-WM2	P2RFC-2516-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-3132-WM5	P2RFC-2516-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-W01	P2RFC-2331-12	Jumper / 1 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-W02	P2RFC-2331-24	Jumper / 2 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-W03	P2RFC-2331-36	Jumper / 3 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-W04	P2RFC-2331-48	Jumper / 4 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-W05	P2RFC-2331-60	Jumper / 5 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-W06	P2RFC-2331-72	Jumper / 6 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-W10	P2RFC-2331-120	Jumper / 10 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-WM1	P2RFC-2331-39	Jumper / 1 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-WM2	P2RFC-2331-78	Jumper / 2 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31N1-WM5	P2RFC-2331-195	Jumper / 5 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-31NF-W01	P2RFC-2330-12	Jumper / 1 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-W02	P2RFC-2330-24	Jumper / 2 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-W03	P2RFC-2330-36	Jumper / 3 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-W04	P2RFC-2330-48	Jumper / 4 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-W05	P2RFC-2330-60	Jumper / 5 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-W06	P2RFC-2330-72	Jumper / 6 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-W10	P2RFC-2330-120	Jumper / 10 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-WM1	P2RFC-2330-39	Jumper / 1 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-WM2	P2RFC-2330-78	Jumper / 2 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-31NF-WM5	P2RFC-2330-195	Jumper / 5 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-W01	P2RFC-2070-12	Jumper / 1 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-W02	P2RFC-2070-24	Jumper / 2 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-W03	P2RFC-2070-36	Jumper / 3 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-W04	P2RFC-2070-48	Jumper / 4 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-W05	P2RFC-2070-60	Jumper / 5 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-W06	P2RFC-2070-72	Jumper / 6 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-W10	P2RFC-2070-120	Jumper / 10 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-WM1	P2RFC-2070-39	Jumper / 1 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-WM2	P2RFC-2070-78	Jumper / 2 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-4141-WM5	P2RFC-2070-195	Jumper / 5 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-41N1-W01	P2RFC-2069-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-W02	P2RFC-2069-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-W03	P2RFC-2069-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-W04	P2RFC-2069-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-W05	P2RFC-2069-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-W06	P2RFC-2069-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-W10	P2RFC-2069-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-WM1	P2RFC-2069-39	Jumper / 1 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-WM2	P2RFC-2069-78	Jumper / 2 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41N1-WM5	P2RFC-2069-195	Jumper / 5 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-W01	P2RFC-2214-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-W02	P2RFC-2214-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-W03	P2RFC-2214-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-W04	P2RFC-2214-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-W05	P2RFC-2214-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-W06	P2RFC-2214-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-W10	P2RFC-2214-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-WM1	P2RFC-2214-39	Jumper / 1 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-WM2	P2RFC-2214-78	Jumper / 2 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-41NF-WM5	P2RFC-2214-195	Jumper / 5 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-D131-W01	P2RFC-2305-12	Jumper / 1 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-W02	P2RFC-2305-24	Jumper / 2 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-W03	P2RFC-2305-36	Jumper / 3 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-W04	P2RFC-2305-48	Jumper / 4 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-W05	P2RFC-2305-60	Jumper / 5 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-W06	P2RFC-2305-72	Jumper / 6 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-W10	P2RFC-2305-120	Jumper / 10 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-WM1	P2RFC-2305-39	Jumper / 1 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-WM2	P2RFC-2305-78	Jumper / 2 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D131-WM5	P2RFC-2305-195	Jumper / 5 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-W01	P2RFC-2071-12	Jumper / 1 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-W02	P2RFC-2071-24	Jumper / 2 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-W03	P2RFC-2071-36	Jumper / 3 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-W04	P2RFC-2071-48	Jumper / 4 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-W05	P2RFC-2071-60	Jumper / 5 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-W06	P2RFC-2071-72	Jumper / 6 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-W10	P2RFC-2071-120	Jumper / 10 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-WM1	P2RFC-2071-39	Jumper / 1 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-WM2	P2RFC-2071-78	Jumper / 2 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D141-WM5	P2RFC-2071-195	Jumper / 5 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-D1D1-W01	P2RFC-2066-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-W02	P2RFC-2066-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-W03	P2RFC-2066-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-W04	P2RFC-2066-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-W05	P2RFC-2066-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-W06	P2RFC-2066-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-W10	P2RFC-2066-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-WM1	P2RFC-2066-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-WM2	P2RFC-2066-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D1-WM5	P2RFC-2066-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-W01	P2RFC-2322-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-W02	P2RFC-2322-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-W03	P2RFC-2322-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-W04	P2RFC-2322-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-W05	P2RFC-2322-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-W06	P2RFC-2322-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-W10	P2RFC-2322-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-WM1	P2RFC-2322-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-WM2	P2RFC-2322-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1D2-WM5	P2RFC-2322-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-D1DF-W01	P2RFC-2189-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-W02	P2RFC-2189-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-W03	P2RFC-2189-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-W04	P2RFC-2189-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-W05	P2RFC-2189-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-W06	P2RFC-2189-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-W10	P2RFC-2189-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-WM1	P2RFC-2189-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-WM2	P2RFC-2189-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1DF-WM5	P2RFC-2189-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-W01	P2RFC-2065-12	Jumper / 1 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-W02	P2RFC-2065-24	Jumper / 2 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-W03	P2RFC-2065-36	Jumper / 3 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-W04	P2RFC-2065-48	Jumper / 4 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-W05	P2RFC-2065-60	Jumper / 5 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-W06	P2RFC-2065-72	Jumper / 6 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-W10	P2RFC-2065-120	Jumper / 10 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-WM1	P2RFC-2065-39	Jumper / 1 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-WM2	P2RFC-2065-78	Jumper / 2 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1N1-WM5	P2RFC-2065-195	Jumper / 5 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-D1NF-W01	P2RFC-2229-12	Jumper / 1 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-W02	P2RFC-2229-24	Jumper / 2 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-W03	P2RFC-2229-36	Jumper / 3 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-W04	P2RFC-2229-48	Jumper / 4 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-W05	P2RFC-2229-60	Jumper / 5 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-W06	P2RFC-2229-72	Jumper / 6 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-W10	P2RFC-2229-120	Jumper / 10 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-WM1	P2RFC-2229-39	Jumper / 1 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-WM2	P2RFC-2229-78	Jumper / 2 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D1NF-WM5	P2RFC-2229-195	Jumper / 5 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-W01	P2RFC-2321-12	Jumper / 1 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-W02	P2RFC-2321-24	Jumper / 2 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-W03	P2RFC-2321-36	Jumper / 3 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-W04	P2RFC-2321-48	Jumper / 4 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-W05	P2RFC-2321-60	Jumper / 5 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-W06	P2RFC-2321-72	Jumper / 6 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-W10	P2RFC-2321-120	Jumper / 10 ft / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-WM1	P2RFC-2321-39	Jumper / 1 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-WM2	P2RFC-2321-78	Jumper / 2 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2D2-WM5	P2RFC-2321-195	Jumper / 5 m / Din 7/16 Male R/A - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-D2NF-W01	P2RFC-2641-12	Jumper / 1 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-W02	P2RFC-2641-24	Jumper / 2 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-W03	P2RFC-2641-36	Jumper / 3 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-W04	P2RFC-2641-48	Jumper / 4 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-W05	P2RFC-2641-60	Jumper / 5 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-W06	P2RFC-2641-72	Jumper / 6 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-W10	P2RFC-2641-120	Jumper / 10 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-WM1	P2RFC-2641-39	Jumper / 1 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-WM2	P2RFC-2641-78	Jumper / 2 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-D2NF-WM5	P2RFC-2641-195	Jumper / 5 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-W01	P2RFC-1411-12	Jumper / 1 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-W02	P2RFC-1411-24	Jumper / 2 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-W03	P2RFC-1411-36	Jumper / 3 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-W04	P2RFC-1411-48	Jumper / 4 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-W05	P2RFC-1411-60	Jumper / 5 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-W06	P2RFC-1411-72	Jumper / 6 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-W10	P2RFC-1411-120	Jumper / 10 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-WM1	P2RFC-1411-39	Jumper / 1 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-WM2	P2RFC-1411-78	Jumper / 2 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N1-WM5	P2RFC-1411-195	Jumper / 5 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-N1N2-W01	P2RFC-2217-12	Jumper / 1 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-W02	P2RFC-2217-24	Jumper / 2 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-W03	P2RFC-2217-36	Jumper / 3 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-W04	P2RFC-2217-48	Jumper / 4 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-W05	P2RFC-2217-60	Jumper / 5 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-W06	P2RFC-2217-72	Jumper / 6 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-W10	P2RFC-2217-120	Jumper / 10 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-WM1	P2RFC-2217-39	Jumper / 1 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-WM2	P2RFC-2217-78	Jumper / 2 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1N2-WM5	P2RFC-2217-195	Jumper / 5 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-W01	P2RFC-2175-12	Jumper / 1 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-W02	P2RFC-2175-24	Jumper / 2 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-W03	P2RFC-2175-36	Jumper / 3 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-W04	P2RFC-2175-48	Jumper / 4 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-W05	P2RFC-2175-60	Jumper / 5 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-W06	P2RFC-2175-72	Jumper / 6 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-W10	P2RFC-2175-120	Jumper / 10 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-WM1	P2RFC-2175-39	Jumper / 1 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-WM2	P2RFC-2175-78	Jumper / 2 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1NF-WM5	P2RFC-2175-195	Jumper / 5 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-N1S1-W01	P2RFC-2068-12	Jumper / 1 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-W02	P2RFC-2068-24	Jumper / 2 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-W03	P2RFC-2068-36	Jumper / 3 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-W04	P2RFC-2068-48	Jumper / 4 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-W05	P2RFC-2068-60	Jumper / 5 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-W06	P2RFC-2068-72	Jumper / 6 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-W10	P2RFC-2068-120	Jumper / 10 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-WM1	P2RFC-2068-39	Jumper / 1 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-WM2	P2RFC-2068-78	Jumper / 2 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N1S1-WM5	P2RFC-2068-195	Jumper / 5 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-W01	P2RFC-2216-12	Jumper / 1 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-W02	P2RFC-2216-24	Jumper / 2 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-W03	P2RFC-2216-36	Jumper / 3 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-W04	P2RFC-2216-48	Jumper / 4 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-W05	P2RFC-2216-60	Jumper / 5 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-W06	P2RFC-2216-72	Jumper / 6 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-W10	P2RFC-2216-120	Jumper / 10 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-WM1	P2RFC-2216-39	Jumper / 1 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-WM2	P2RFC-2216-78	Jumper / 2 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2N2-WM5	P2RFC-2216-195	Jumper / 5 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-N2NF-W01	P2RFC-2220-12	Jumper / 1 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-W02	P2RFC-2220-24	Jumper / 2 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-W03	P2RFC-2220-36	Jumper / 3 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-W04	P2RFC-2220-48	Jumper / 4 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-W05	P2RFC-2220-60	Jumper / 5 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-W06	P2RFC-2220-72	Jumper / 6 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-W10	P2RFC-2220-120	Jumper / 10 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-WM1	P2RFC-2220-39	Jumper / 1 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-WM2	P2RFC-2220-78	Jumper / 2 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2NF-WM5	P2RFC-2220-195	Jumper / 5 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-W01	P2RFC-2258-12	Jumper / 1 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-W02	P2RFC-2258-24	Jumper / 2 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-W03	P2RFC-2258-36	Jumper / 3 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-W04	P2RFC-2258-48	Jumper / 4 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-W05	P2RFC-2258-60	Jumper / 5 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-W06	P2RFC-2258-72	Jumper / 6 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-W10	P2RFC-2258-120	Jumper / 10 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-WM1	P2RFC-2258-39	Jumper / 1 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-WM2	P2RFC-2258-78	Jumper / 2 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S1-WM5	P2RFC-2258-195	Jumper / 5 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNA29-N2S2-W01	P2RFC-2279-12	Jumper / 1 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-W02	P2RFC-2279-24	Jumper / 2 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-W03	P2RFC-2279-36	Jumper / 3 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-W04	P2RFC-2279-48	Jumper / 4 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-W05	P2RFC-2279-60	Jumper / 5 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-W06	P2RFC-2279-72	Jumper / 6 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-W10	P2RFC-2279-120	Jumper / 10 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-WM1	P2RFC-2279-39	Jumper / 1 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-WM2	P2RFC-2279-78	Jumper / 2 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNA29-N2S2-WM5	P2RFC-2279-195	Jumper / 5 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-W01	P2RFC-2275-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-W02	P2RFC-2275-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-W03	P2RFC-2275-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-W04	P2RFC-2275-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-W05	P2RFC-2275-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-W06	P2RFC-2275-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-W10	P2RFC-2275-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-WM1	P2RFC-2275-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-WM2	P2RFC-2275-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3131-WM5	P2RFC-2275-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-3132-W01	P2RFC-2516-12	Jumper / 1 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-W02	P2RFC-2516-24	Jumper / 2 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-W03	P2RFC-2516-36	Jumper / 3 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-W04	P2RFC-2516-48	Jumper / 4 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-W05	P2RFC-2516-60	Jumper / 5 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-W06	P2RFC-2516-72	Jumper / 6 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-W10	P2RFC-2516-120	Jumper / 10 ft / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-WM1	P2RFC-2516-39	Jumper / 1 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-WM2	P2RFC-2516-78	Jumper / 2 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-3132-WM5	P2RFC-2516-195	Jumper / 5 m / Din 4.3/10 Male - Din 4.3/10 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-W01	P2RFC-2331-12	Jumper / 1 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-W02	P2RFC-2331-24	Jumper / 2 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-W03	P2RFC-2331-36	Jumper / 3 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-W04	P2RFC-2331-48	Jumper / 4 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-W05	P2RFC-2331-60	Jumper / 5 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-W06	P2RFC-2331-72	Jumper / 6 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-W10	P2RFC-2331-120	Jumper / 10 ft / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-WM1	P2RFC-2331-39	Jumper / 1 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-WM2	P2RFC-2331-78	Jumper / 2 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31N1-WM5	P2RFC-2331-195	Jumper / 5 m / Din 4.3/10 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-31NF-W01	P2RFC-2330-12	Jumper / 1 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-W02	P2RFC-2330-24	Jumper / 2 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-W03	P2RFC-2330-36	Jumper / 3 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-W04	P2RFC-2330-48	Jumper / 4 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-W05	P2RFC-2330-60	Jumper / 5 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-W06	P2RFC-2330-72	Jumper / 6 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-W10	P2RFC-2330-120	Jumper / 10 ft / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-WM1	P2RFC-2330-39	Jumper / 1 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-WM2	P2RFC-2330-78	Jumper / 2 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-31NF-WM5	P2RFC-2330-195	Jumper / 5 m / Din 4.3/10 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-W01	P2RFC-2070-12	Jumper / 1 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-W02	P2RFC-2070-24	Jumper / 2 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-W03	P2RFC-2070-36	Jumper / 3 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-W04	P2RFC-2070-48	Jumper / 4 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-W05	P2RFC-2070-60	Jumper / 5 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-W06	P2RFC-2070-72	Jumper / 6 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-W10	P2RFC-2070-120	Jumper / 10 ft / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-WM1	P2RFC-2070-39	Jumper / 1 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-WM2	P2RFC-2070-78	Jumper / 2 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-4141-WM5	P2RFC-2070-195	Jumper / 5 m / Din 4.1/9.5 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-41N1-W01	P2RFC-2069-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-W02	P2RFC-2069-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-W03	P2RFC-2069-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-W04	P2RFC-2069-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-W05	P2RFC-2069-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-W06	P2RFC-2069-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-W10	P2RFC-2069-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-WM1	P2RFC-2069-39	Jumper / 1 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-WM2	P2RFC-2069-78	Jumper / 2 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41N1-WM5	P2RFC-2069-195	Jumper / 5 m / Din 4.1/9.5 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-W01	P2RFC-2214-12	Jumper / 1 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-W02	P2RFC-2214-24	Jumper / 2 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-W03	P2RFC-2214-36	Jumper / 3 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-W04	P2RFC-2214-48	Jumper / 4 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-W05	P2RFC-2214-60	Jumper / 5 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-W06	P2RFC-2214-72	Jumper / 6 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-W10	P2RFC-2214-120	Jumper / 10 ft / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-WM1	P2RFC-2214-39	Jumper / 1 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-WM2	P2RFC-2214-78	Jumper / 2 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-41NF-WM5	P2RFC-2214-195	Jumper / 5 m / Din 4.1/9.5 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-D131-W01	P2RFC-2305-12	Jumper / 1 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-W02	P2RFC-2305-24	Jumper / 2 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-W03	P2RFC-2305-36	Jumper / 3 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-W04	P2RFC-2305-48	Jumper / 4 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-W05	P2RFC-2305-60	Jumper / 5 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-W06	P2RFC-2305-72	Jumper / 6 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-W10	P2RFC-2305-120	Jumper / 10 ft / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-WM1	P2RFC-2305-39	Jumper / 1 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-WM2	P2RFC-2305-78	Jumper / 2 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D131-WM5	P2RFC-2305-195	Jumper / 5 m / Din 7/16 Male - Din 4.3/10 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-W01	P2RFC-2419-12	Jumper / 1 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-W02	P2RFC-2419-24	Jumper / 2 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-W03	P2RFC-2419-36	Jumper / 3 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-W04	P2RFC-2419-48	Jumper / 4 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-W05	P2RFC-2419-60	Jumper / 5 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-W06	P2RFC-2419-72	Jumper / 6 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-W10	P2RFC-2419-120	Jumper / 10 ft / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-WM1	P2RFC-2419-39	Jumper / 1 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-WM2	P2RFC-2419-78	Jumper / 2 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D141-WM5	P2RFC-2419-195	Jumper / 5 m / Din 7/16 Male - Din 4.1/9.5 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-D1D1-W01	P2RFC-2066-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-W02	P2RFC-2066-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-W03	P2RFC-2066-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-W04	P2RFC-2066-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-W05	P2RFC-2066-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-W06	P2RFC-2066-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-W10	P2RFC-2066-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-WM1	P2RFC-2066-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-WM2	P2RFC-2066-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D1-WM5	P2RFC-2066-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-W01	P2RFC-2322-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-W02	P2RFC-2322-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-W03	P2RFC-2322-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-W04	P2RFC-2322-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-W05	P2RFC-2322-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-W06	P2RFC-2322-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-W10	P2RFC-2322-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-WM1	P2RFC-2322-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-WM2	P2RFC-2322-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1D2-WM5	P2RFC-2322-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-D1DF-W01	P2RFC-2189-12	Jumper / 1 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-W02	P2RFC-2189-24	Jumper / 2 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-W03	P2RFC-2189-36	Jumper / 3 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-W04	P2RFC-2189-48	Jumper / 4 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-W05	P2RFC-2189-60	Jumper / 5 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-W06	P2RFC-2189-72	Jumper / 6 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-W10	P2RFC-2189-120	Jumper / 10 ft / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-WM1	P2RFC-2189-39	Jumper / 1 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-WM2	P2RFC-2189-78	Jumper / 2 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1DF-WM5	P2RFC-2189-195	Jumper / 5 m / Din 7/16 Male - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-W01	P2RFC-2065-12	Jumper / 1 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-W02	P2RFC-2065-24	Jumper / 2 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-W03	P2RFC-2065-36	Jumper / 3 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-W04	P2RFC-2065-48	Jumper / 4 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-W05	P2RFC-2065-60	Jumper / 5 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-W06	P2RFC-2065-72	Jumper / 6 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-W10	P2RFC-2065-120	Jumper / 10 ft / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-WM1	P2RFC-2065-39	Jumper / 1 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-WM2	P2RFC-2065-78	Jumper / 2 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1N1-WM5	P2RFC-2065-195	Jumper / 5 m / Din 7/16 Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-D1NF-W01	P2RFC-2229-12	Jumper / 1 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-W02	P2RFC-2229-24	Jumper / 2 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-W03	P2RFC-2229-36	Jumper / 3 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-W04	P2RFC-2229-48	Jumper / 4 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-W05	P2RFC-2229-60	Jumper / 5 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-W06	P2RFC-2229-72	Jumper / 6 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-W10	P2RFC-2229-120	Jumper / 10 ft / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-WM1	P2RFC-2229-39	Jumper / 1 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-WM2	P2RFC-2229-78	Jumper / 2 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D1NF-WM5	P2RFC-2229-195	Jumper / 5 m / Din 7/16 Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-W01	P2RFC-2321-12	Jumper / 1 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-W02	P2RFC-2321-24	Jumper / 2 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-W03	P2RFC-2321-36	Jumper / 3 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-W04	P2RFC-2321-48	Jumper / 4 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-W05	P2RFC-2321-60	Jumper / 5 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-W06	P2RFC-2321-72	Jumper / 6 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-W10	P2RFC-2321-120	Jumper / 10 ft / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-WM1	P2RFC-2321-39	Jumper / 1 m / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-WM2	P2RFC-2321-78	Jumper / 2 m / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2D2-WM5	P2RFC-2321-195	Jumper / 5 m / Din 7/16 Male R/A -Din 7/16 Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-D2DF-W01	P2RFC-2509-12	Jumper / 1 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-W02	P2RFC-2509-24	Jumper / 2 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-W03	P2RFC-2509-36	Jumper / 3 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-W04	P2RFC-2509-48	Jumper / 4 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-W05	P2RFC-2509-60	Jumper / 5 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-W06	P2RFC-2509-72	Jumper / 6 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-W10	P2RFC-2509-120	Jumper / 10 ft / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-WM1	P2RFC-2509-39	Jumper / 1 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-WM2	P2RFC-2509-78	Jumper / 2 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2DF-WM5	P2RFC-2509-195	Jumper / 5 m / Din 7/16 Male R/A - Din 7/16 Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-W01	P2RFC-2408-12	Jumper / 1 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-W02	P2RFC-2408-24	Jumper / 2 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-W03	P2RFC-2408-36	Jumper / 3 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-W04	P2RFC-2408-48	Jumper / 4 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-W05	P2RFC-2408-60	Jumper / 5 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-W06	P2RFC-2408-72	Jumper / 6 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-W10	P2RFC-2408-120	Jumper / 10 ft / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-WM1	P2RFC-2408-39	Jumper / 1 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-WM2	P2RFC-2408-78	Jumper / 2 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2N1-WM5	P2RFC-2408-195	Jumper / 5 m / Din 7/16 Male R/A - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-D2NF-W01	P2RFC-2457-12	Jumper / 1 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-W02	P2RFC-2457-24	Jumper / 2 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-W03	P2RFC-2457-36	Jumper / 3 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-W04	P2RFC-2457-48	Jumper / 4 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-W05	P2RFC-2457-60	Jumper / 5 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-W06	P2RFC-2457-72	Jumper / 6 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-W10	P2RFC-2457-120	Jumper / 10 ft / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-WM1	P2RFC-2457-39	Jumper / 1 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-WM2	P2RFC-2457-78	Jumper / 2 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-D2NF-WM5	P2RFC-2457-195	Jumper / 5 m / Din 7/16 Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-W01	P2RFC-2064-12	Jumper / 1 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-W02	P2RFC-2064-24	Jumper / 2 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-W03	P2RFC-2064-36	Jumper / 3 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-W04	P2RFC-2064-48	Jumper / 4 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-W05	P2RFC-2064-60	Jumper / 5 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-W06	P2RFC-2064-72	Jumper / 6 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-W10	P2RFC-2064-120	Jumper / 10 ft / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-WM1	P2RFC-2064-39	Jumper / 1 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-WM2	P2RFC-2064-78	Jumper / 2 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N1-WM5	P2RFC-2064-195	Jumper / 5 m / N Male - N Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-N1N2-W01	P2RFC-2217-12	Jumper / 1 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-W02	P2RFC-2217-24	Jumper / 2 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-W03	P2RFC-2217-36	Jumper / 3 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-W04	P2RFC-2217-48	Jumper / 4 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-W05	P2RFC-2217-60	Jumper / 5 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-W06	P2RFC-2217-72	Jumper / 6 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-W10	P2RFC-2217-120	Jumper / 10 ft / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-WM1	P2RFC-2217-39	Jumper / 1 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-WM2	P2RFC-2217-78	Jumper / 2 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1N2-WM5	P2RFC-2217-195	Jumper / 5 m / N Male - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-W01	P2RFC-2175-12	Jumper / 1 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-W02	P2RFC-2175-24	Jumper / 2 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-W03	P2RFC-2175-36	Jumper / 3 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-W04	P2RFC-2175-48	Jumper / 4 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-W05	P2RFC-2175-60	Jumper / 5 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-W06	P2RFC-2175-72	Jumper / 6 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-W10	P2RFC-2175-120	Jumper / 10 ft / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-WM1	P2RFC-2175-39	Jumper / 1 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-WM2	P2RFC-2175-78	Jumper / 2 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1NF-WM5	P2RFC-2175-195	Jumper / 5 m / N Male - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-N1S1-W01	P2RFC-2068-12	Jumper / 1 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-W02	P2RFC-2068-24	Jumper / 2 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-W03	P2RFC-2068-36	Jumper / 3 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-W04	P2RFC-2068-48	Jumper / 4 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-W05	P2RFC-2068-60	Jumper / 5 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-W06	P2RFC-2068-72	Jumper / 6 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-W10	P2RFC-2068-120	Jumper / 10 ft / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-WM1	P2RFC-2068-39	Jumper / 1 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-WM2	P2RFC-2068-78	Jumper / 2 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N1S1-WM5	P2RFC-2068-195	Jumper / 5 m / N Male - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-W01	P2RFC-2216-12	Jumper / 1 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-W02	P2RFC-2216-24	Jumper / 2 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-W03	P2RFC-2216-36	Jumper / 3 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-W04	P2RFC-2216-48	Jumper / 4 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-W05	P2RFC-2216-60	Jumper / 5 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-W06	P2RFC-2216-72	Jumper / 6 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-W10	P2RFC-2216-120	Jumper / 10 ft / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-WM1	P2RFC-2216-39	Jumper / 1 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-WM2	P2RFC-2216-78	Jumper / 2 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2N2-WM5	P2RFC-2216-195	Jumper / 5 m / N Male R/A - N Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-N2NF-W01	P2RFC-2220-12	Jumper / 1 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-W02	P2RFC-2220-24	Jumper / 2 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-W03	P2RFC-2220-36	Jumper / 3 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-W04	P2RFC-2220-48	Jumper / 4 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-W05	P2RFC-2220-60	Jumper / 5 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-W06	P2RFC-2220-72	Jumper / 6 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-W10	P2RFC-2220-120	Jumper / 10 ft / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-WM1	P2RFC-2220-39	Jumper / 1 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-WM2	P2RFC-2220-78	Jumper / 2 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2NF-WM5	P2RFC-2220-195	Jumper / 5 m / N Male R/A - N Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-W01	P2RFC-2258-12	Jumper / 1 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-W02	P2RFC-2258-24	Jumper / 2 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-W03	P2RFC-2258-36	Jumper / 3 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-W04	P2RFC-2258-48	Jumper / 4 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-W05	P2RFC-2258-60	Jumper / 5 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-W06	P2RFC-2258-72	Jumper / 6 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-W10	P2RFC-2258-120	Jumper / 10 ft / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-WM1	P2RFC-2258-39	Jumper / 1 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-WM2	P2RFC-2258-78	Jumper / 2 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S1-WM5	P2RFC-2258-195	Jumper / 5 m / N Male R/A - SMA Male / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Electronic Assemblies Mfg

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Electronic Assemblies Mfg.	PNB29-N2S2-W01	P2RFC-2279-12	Jumper / 1 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-W02	P2RFC-2279-24	Jumper / 2 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-W03	P2RFC-2279-36	Jumper / 3 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-W04	P2RFC-2279-48	Jumper / 4 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-W05	P2RFC-2279-60	Jumper / 5 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-W06	P2RFC-2279-72	Jumper / 6 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-W10	P2RFC-2279-120	Jumper / 10 ft / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-WM1	P2RFC-2279-39	Jumper / 1 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-WM2	P2RFC-2279-78	Jumper / 2 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-N2S2-WM5	P2RFC-2279-195	Jumper / 5 m / N Male R/A - SMA Male R/A / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-W01	?	Jumper / 1 ft / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-W02	?	Jumper / 2 ft / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-W03	?	Jumper / 3 ft / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-W04	?	Jumper / 4 ft / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-W05	?	Jumper / 5 ft / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-W06	?	Jumper / 6 ft / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-W10	?	Jumper / 10 ft / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-WM1	?	Jumper / 1 m / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-WM2	?	Jumper / 2 m / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable
Electronic Assemblies Mfg.	PNB29-NFSF-WM5	?	Jumper / 5 m / N Female - SMA Female / Low PIM Plenum Rated / TFT402 / 50 ohm	Cable

Microlab

Manufacturer	Model	RFI Equivalent	Description	
Microlab Tech	JA-05FA	P2RFC-2229-19	Microlab 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with N-F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-05MA	P2RFC-2065-19	Microlab 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with N-M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-05MB	P2RFC-2070-19	MICROLAB 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 4.1/9.5 M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-05MC	P2RFC-2069-19	MICROLAB 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to N/M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-05MD	P2RFC-2066-19	Microlab 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-05ME	P2RFC-2071-19	MICROLAB 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-05MN	P2RFC-2064-19	MICROLAB 0.5 meter Low PIM Jumper with N Male connectors on each end. .141 rigid plenum cable. Fire-retardant. RoHS compliant.	Cable
Microlab Tech	JA-05MX	P2RFC-2275-19	Microlab 0.5 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 male.	Cable
Microlab Tech	JA-05MY	P2RFC-2305-19	Microlab 0.5 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 7-16 DIN male.	Cable
Microlab Tech	JA-05MZ	P2RFC-2331-19	Microlab JA-10MZ 0.5 meter .141 jumper with 4.3/10 male to N male connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JA-05TA	P2RFC-2202-19	Microlab 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to N/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-05TD	P2RFC-2189-19	Microlab 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-05TN	P2RFC-2175-19	MICROLAB 0.5m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-05TX	P2RFC-2422-19	Microlab 0.5 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 female.	Cable
Microlab Tech	JA-05TZ	P2RFC-2330-19	Microlab 0.5 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to N female.	Cable
Microlab Tech	JA-10FA	P2RFC-2229-39	Microlab 1m jacketed .141 rigid low loss low PIM, plenum rated cable with N-F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-10MA	P2RFC-2065-39	Microlab 1m jacketed .141 rigid low loss low PIM, plenum rated cable with N-M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-10MB	P2RFC-2070-39	MICROLAB 1m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 4.1/9.5 M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-10MC	P2RFC-2069-39	MICROLAB 1m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to N/M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-10MD	P2RFC-2066-39	Microlab 1m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable

Microlab

Manufacturer	Model	RFI Equivalent	Description	
Microlab Tech	JA-10ME	P2RFC-2071-39	MICROLAB 1m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-10MN	P2RFC-2064-39	MICROLAB 1m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-10MX	P2RFC-2275-39	Microlab 1 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 male.	Cable
Microlab Tech	JA-10MY	P2RFC-2305-39	Microlab 1 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 7-16 DIN male.	Cable
Microlab Tech	JA-10MZ	P2RFC-2331-39	Microlab JA-10MZ 1.0 meter .141 jumper with 4.3/10 male to N male connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JA-10TA	P2RFC-2202-39	Microlab 1m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to N/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-10TD	P2RFC-2189-39	Microlab 1m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-10TN	P2RFC-2175-39	Microlab Model JA10-TN is a low PIM Jumper, 1 meter in length and has N male to N female termination.	Cable
Microlab Tech	JA-10TX	P2RFC-2422-39	Microlab 1 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 female.	Cable
Microlab Tech	JA-10TZ	P2RFC-2330-39	Microlab 1 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to N female.	Cable
Microlab Tech	JA-20FA	P2RFC-2229-78	Microlab 2m jacketed .141 rigid low loss low PIM, plenum rated cable with N-F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-20MA	P2RFC-2065-78	Microlab JA-20MA 2m jacketed .141 rigid low loss, low PIM, plenum rated cable with N-Male to 7-16 DIN-Male connectors, PIM: < -158 dBc	Cable
Microlab Tech	JA-20MB	P2RFC-2070-78	MICROLAB 2m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 4.1/9.5 M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-20MC	P2RFC-2069-78	MICROLAB 2m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to N/M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-20MD	P2RFC-2066-78	Microlab 2m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-20ME	P2RFC-2071-78	MICROLAB 2m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-20MN	P2RFC-2064-78	Microlab 2m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-20MX	P2RFC-2275-78	Microlab 2 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 male.	Cable
Microlab Tech	JA-20MY	P2RFC-2305-78	Microlab 2 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 7-16 DIN male.	Cable
Microlab Tech	JA-20MZ	P2RFC-2331-78	Microlab JA-10MZ 2.0 meter .141 jumper with 4.3/10 male to N male connectors. DC-6000 MHz, 100W.	Cable

Microlab

Manufacturer	Model	RFI Equivalent	Description	
Microlab Tech	JA-20TA	P2RFC-2202-78	Microlab 2m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to N/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-20TD	P2RFC-2189-78	Microlab 2m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-20TN	P2RFC-2175-78	Microlab Model JA10-TN is a low PIM Jumper, 2 meters in length and has N male to N female termination.	Cable
Microlab Tech	JA-20TX	P2RFC-2422-79	Microlab 2 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 female.	Cable
Microlab Tech	JA-20TZ	P2RFC-2330-78	Microlab 2 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to N female.	Cable
Microlab Tech	JA-30FA	P2RFC-2229-117	Microlab 3 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-30MA	P2RFC-2065-117	Microlab 3 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-30MB	P2RFC-2070-117	MICROLAB 3 m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 4.1/9.5 M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-30MC	P2RFC-2069-117	MICROLAB 3 m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to N/M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-30MD	P2RFC-2066-117	Microlab 3 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-30ME	P2RFC-2071-117	MICROLAB 3 m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-30MN	P2RFC-2064-117	MICROLAB 3m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-30MX	P2RFC-2275-117	Microlab 3 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 male.	Cable
Microlab Tech	JA-30MY	P2RFC-2305-117	Microlab 3 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 7-16 DIN male.	Cable
Microlab Tech	JA-30MZ	P2RFC-2331-117	Microlab JA-10MZ 3.0 meter .141 jumper with 4.3/10 male to N male connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JA-30TA	P2RFC-2202-117	Microlab 3m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to N/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-30TD	P2RFC-2189-117	Microlab 3m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-30TN	P2RFC-2175-117	Microlab Model JA10-TN is a low PIM Jumper, 3meters in length and has N male to N female termination.	Cable
Microlab Tech	JA-30TX	P2RFC-2422-117	Microlab 3 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 female.	Cable
Microlab Tech	JA-30TXZ	P2RFC-2330-117	Microlab 3meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to N female.	Cable

Microlab

Manufacturer	Model	RFI Equivalent	Description	
Microlab Tech	JA-40FA	P2RFC-2229-156	Microlab 4m jacketed .141 rigid low loss low PIM, plenum rated cable with N-F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-40MA	P2RFC-2065-156	Microlab 4m jacketed .141 rigid low loss low PIM, plenum rated cable with N-M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-40MB	P2RFC-2070-156	MICROLAB 4m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 4.1/9.5 M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-40MC	P2RFC-2069-156	MICROLAB 4m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to N/M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-40MD	P2RFC-2066-156	Microlab 4m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-40ME	P2RFC-2071-156	MICROLAB 4m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-40MN	P2RFC-2064-156	MICROLAB 4m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-40MX	P2RFC-2275-156	Microlab 4 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 male.	Cable
Microlab Tech	JA-40MY	P2RFC-2305-156	Microlab 4 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 7-16 DIN male.	Cable
Microlab Tech	JA-40MZ	P2RFC-2331-156	Microlab JA-10MZ 4.0 meter .141 jumper with 4.3/10 male to N male connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JA-40TA	P2RFC-2202-156	Microlab 4m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to N/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-40TD	P2RFC-2189-156	Microlab 4m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-40TN	P2RFC-2175-156	Microlab Model JA10-TN is a low PIM Jumper, 4meters in length and has N male to N female termination.	Cable
Microlab Tech	JA-40TX	P2RFC-2422-156	Microlab 4 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 female.	Cable
Microlab Tech	JA-40TZ	P2RFC-2330-156	Microlab 4 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to N female.	Cable
Microlab Tech	JA-50FA	P2RFC-2229-195	Microlab 5m jacketed .141 rigid low loss low PIM, plenum rated cable with N-F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-50MA	P2RFC-2065-195	Microlab 5m jacketed .141 rigid low loss low PIM, plenum rated cable with N-M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-50MB	P2RFC-2070-195	MICROLAB 5m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 4.1/9.5 M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-50MC	P2RFC-2069-195	MICROLAB 5m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to N/M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-50MD	P2RFC-2066-195	Microlab 5m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable

Microlab

Manufacturer	Model	RFI Equivalent	Description	
Microlab Tech	JA-50ME	P2RFC-2071-195	MICROLAB 5m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-50MN	P2RFC-2064-195	MICROLAB 5m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-50MX	P2RFC-2275-195	Microlab 5 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 male.	Cable
Microlab Tech	JA-50MY	P2RFC-2305-195	Microlab 5 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 7-16 DIN male.	Cable
Microlab Tech	JA-50MZ	P2RFC-2331-195	Microlab JA-10MZ 5.0 meter .141 jumper with 4.3/10 male to N male connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JA-50TA	P2RFC-2202-195	Microlab 5m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to N/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-50TD	P2RFC-2189-195	Microlab 5m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-50TN	P2RFC-2175-195	Microlab Model JA10-TN is a low PIM Jumper, 5meters in length and has N male to N female termination.	Cable
Microlab Tech	JA-50TX	P2RFC-2422-195	Microlab 5 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 female.	Cable
Microlab Tech	JA-50TZ	P2RFC-2330-195	Microlab 5 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to N female.	Cable
Microlab Tech	JA-60FA	P2RFC-2229-234	Microlab 6m jacketed .141 rigid low loss low PIM, plenum rated cable with N-F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-60MA	P2RFC-2065-234	Microlab 6m jacketed .141 rigid low loss low PIM, plenum rated cable with N-M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-60MB	P2RFC-2070-234	MICROLAB 6m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 4.1/9.5 M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-60MC	P2RFC-2069-234	MICROLAB 6m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to N/M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-60MD	P2RFC-2066-234	Microlab 6m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-60ME	P2RFC-2071-234	MICROLAB 6m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-60MN	P2RFC-2064-234	MICROLAB 6m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-60MX	P2RFC-2275-234	Microlab 6 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 male.	Cable
Microlab Tech	JA-60MY	P2RFC-2305-234	Microlab 6 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 7-16 DIN male.	Cable
Microlab Tech	JA-60MZ	P2RFC-2331-234	Microlab JA-10MZ 6.0 meter .141 jumper with 4.3/10 male to N male connectors. DC-6000 MHz, 100W.	Cable

Microlab

Manufacturer	Model	RFI Equivalent	Description	
Microlab Tech	JA-60TA	P2RFC-2202-234	Microlab 6m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to N/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-60TD	P2RFC-2189-234	Microlab 6m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-60TN	P2RFC-2175-234	Microlab Model JA10-TN is a low PIM Jumper, 6meters in length and has N male to N female termination.	Cable
Microlab Tech	JA-60TX	P2RFC-2422-234	Microlab 6 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 female.	Cable
Microlab Tech	JA-60TZ	P2RFC-2330-234	Microlab 6 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to N female.	Cable
Microlab Tech	JA-70FA	P2RFC-2229-273	Microlab 7m jacketed .141 rigid low loss low PIM, plenum rated cable with N-M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-70MA	P2RFC-2065-273	Microlab 7m jacketed .141 rigid low loss low PIM, plenum rated cable with N-M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-70MB	P2RFC-2070-273	MICROLAB 7m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 4.1/9.5 M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-70MC	P2RFC-2069-273	MICROLAB 7m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to N/M Connectors PIM: < -158 dB.	Cable
Microlab Tech	JA-70MD	P2RFC-2066-273	Microlab 7m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/M to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-70ME	P2RFC-2071-273	MICROLAB 7m jacketed .141 rigid low loss low PIM, plenum rated cable with 4.1/9.5 M to 7-16 M Connectors PIM: < -158 dB	Cable
Microlab Tech	JA-70MN	P2RFC-2064-273	MICROLAB 7m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-70MX	P2RFC-2275-273	Microlab 7 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 male.	Cable
Microlab Tech	JA-70MY	P2RFC-2305-273	Microlab 7 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 7-16 DIN male.	Cable
Microlab Tech	JA-70MZ	P2RFC-2331-273	Microlab JA-10MZ 7.0 meter .141 jumper with 4.3/10 male to N male connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JA-70TA	P2RFC-2202-273	Microlab 7m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to N/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-70TD	P2RFC-2189-273	Microlab 7m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M connectors. PIM: < -158 dB	Cable
Microlab Tech	JA-70TN	P2RFC-2175-273	Microlab Model JA10-TN is a low PIM Jumper, 7meters in length and has N male to N female termination.	Cable
Microlab Tech	JA-70TX	P2RFC-2422-273	Microlab 7meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to 4.3/10 female.	Cable
Microlab Tech	JA-70TZ	P2RFC-2330-273	Microlab 7 meter jacketed .141 cable rigid, low loss, low PIM -158dBc plenum rated 4.3/10 male to N female.	Cable

Microlab

Manufacturer	Model	RFI Equivalent	Description	
Microlab Tech	JB-05MN	P2RFC-2217-19	MICROLAB 0.5 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male Right-angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-05MZ	P2RFC-2441-19	Microlab JA-10MZ 0.5 meter .141 jumper with 4.3/10 male to N male right angle connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JB-05TD	P2RFC-2509-19	Microlab 0.5 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M right angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-10MN	P2RFC-2217-39	MICROLAB 1 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male Right-angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-10MZ	P2RFC-2441-39	Microlab JA-10MZ 1 meter .141 jumper with 4.3/10 male to N male right angle connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JB-10TD	P2RFC-2509-39	Microlab 1 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M right angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-20MN	P2RFC-2217-79	MICROLAB 2 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male Right-angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-20MZ	P2RFC-2441-79	Microlab JA-10MZ 2 meter .141 jumper with 4.3/10 male to N male right angle connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JB-20TD	P2RFC-2509-78	Microlab 2 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M right angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-30MN	P2RFC-2217-117	MICROLAB 3 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male Right-angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-30MZ	P2RFC-2441-117	Microlab JA-10MZ 3 meter .141 jumper with 4.3/10 male to N male right angle connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JB-30TD	P2RFC-2509-117	Microlab 3 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M right angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-40MN	P2RFC-2217-156	MICROLAB 4 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male Right-angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-40MZ	P2RFC-2441-156	Microlab JA-10MZ 4 meter .141 jumper with 4.3/10 male to N male right angle connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JB-40TD	P2RFC-2509-156	Microlab 4 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M right angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-50MN	P2RFC-2217-195	MICROLAB 5 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male Right-angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-50MZ	P2RFC-2441-195	Microlab JA-10MZ 5 meter .141 jumper with 4.3/10 male to N male right angle connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JB-50TD	P2RFC-2509-195	Microlab 5 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M right angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-60MN	P2RFC-2217-234	MICROLAB 6 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male Right-angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-60MZ	P2RFC-2441-234	Microlab JA-10MZ 6 meter .141 jumper with 4.3/10 male to N male right angle connectors. DC-6000 MHz, 100W.	Cable

Microlab

Manufacturer	Model	RFI Equivalent	Description	
Microlab Tech	JB-60TD	P2RFC-2509-234	Microlab 6 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M right angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-70MN	P2RFC-2217-273	MICROLAB 7 m jacketed .141 rigid low loss low PIM, plenum rated cable with N-Male to N-Male Right-angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JB-70MZ	P2RFC-2441-273	Microlab JA-10MZ 7 meter .141 jumper with 4.3/10 male to N male right angle connectors. DC-6000 MHz, 100W.	Cable
Microlab Tech	JB-70TD	P2RFC-2509-273	Microlab 7 m jacketed .141 rigid low loss low PIM, plenum rated cable with 7-16 DIN/F to 7-16 DIN/M right angle connectors. PIM: < -158 dB	Cable
Microlab Tech	JD-05MN	P2RFC-2072-19	MICROLAB 0.5m jacketed 1/4" low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -155 dB	Cable
Microlab Tech	JD-10MN	P2RFC-2072-39	MICROLAB 1 m jacketed 1/4" low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -155 dB	Cable
Microlab Tech	JD-20MN	P2RFC-2072-78	MICROLAB 2 m jacketed 1/4" low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -155 dB	Cable
Microlab Tech	JD-30MN	P2RFC-2072-117	MICROLAB 3 m jacketed 1/4" low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -155 dB	Cable
Microlab Tech	JD-40MN	P2RFC-2072-156	MICROLAB 4 m jacketed 1/4" low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -155 dB	Cable
Microlab Tech	JD-50MN	P2RFC-2072-195	MICROLAB 5 m jacketed 1/4" low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -155 dB	Cable
Microlab Tech	JD-60MN	P2RFC-2072-234	MICROLAB 6m jacketed 1/4" low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -155 dB	Cable
Microlab Tech	JD-70MN	P2RFC-2072-273	MICROLAB 7 m jacketed 1/4" low loss low PIM, plenum rated cable with N-Male to N-Male connectors. PIM: < -155 dB	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPO25043M43M10.0F	P2RFC-2370-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43M15.0F	P2RFC-2370-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43M20.0F	P2RFC-2370-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43M25.0F	P2RFC-2370-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43M3.0F	P2RFC-2370-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43M5.0F	P2RFC-2370-60	5ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43M7.0F	P2RFC-2370-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43MR10.0F	P2RFC-2695-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43MR15.0F	P2RFC-2695-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43MR20.0F	P2RFC-2695-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43MR25.0F	P2RFC-2695-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43MR3.0F	P2RFC-2695-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43MR5.0F	P2RFC-2695-60	5ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043M43MR7.0F	P2RFC-2695-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043MR43MR10.0F	P2RFC-2544-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043MR43MR15.0F	P2RFC-2544-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043MR43MR20.0F	P2RFC-2544-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043MR43MR25.0F	P2RFC-2544-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043MR43MR3.0F	P2RFC-2544-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043MR43MR5.0F	P2RFC-2544-60	5ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO25043MR43MR7.0F	P2RFC-2544-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM1.0M	P2RFC-2314-39	1m - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM10.0F	P2RFC-2314-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM15.0F	P2RFC-2314-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM2.0M	P2RFC-2314-78	2m - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM20.0F	P2RFC-2314-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM25.0F	P2RFC-2314-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM3.0F	P2RFC-2314-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM3.0M	P2RFC-2314-117	3m - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM5.0F	P2RFC-2314-60	5ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDM7.0F	P2RFC-2314-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDMR10.0F	P2RFC-2319-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPO250DMDMR15.0F	P2RFC-2319-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDMR20.0F	P2RFC-2319-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDMR25.0F	P2RFC-2319-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDMR3.0F	P2RFC-2319-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDMR4.0F	P2RFC-2319-48	4 foot - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDMR5.0F	P2RFC-2319-60	5ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMDMR7.0F	P2RFC-2319-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMNM1.0M	P2RFC-2313-39	TIMES MICROWAVE 1m SPO-250 1/4" Superflex Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250DMNM4.0M	P2RFC-2313-156	TIMES MICROWAVE 4m SPO-250 1/4" Superflex Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250DMNM5.0F	P2RFC-2333-60	5 foot - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMNM5.0M	P2RFC-2313-195	TIMES MICROWAVE 5m SPO-250 1/4" Superflex Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250DMNM6.0M	P2RFC-2313-234	TIMES MICROWAVE 6m SPO-250 1/4" Superflex Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250DMNMR5.0F	P2RFC-2447-60	5 foot - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMRDMR10.0F	P2RFC-2698-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMRDMR15.0F	P2RFC-2698-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMRDMR20.0F	P2RFC-2698-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMRDMR25.0F	P2RFC-2698-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMRDMR3.0F	P2RFC-2698-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250DMRDMR4.0F	P2RFC-2698-48	TIMES MICROWAVE 4' 1/4" Jumper with 90 Deg DIN Male to 90 Deg DIN Male connectors. Low PIM.	Cable
Times Microwave Systems	SPO250DMRDMR5.0F	P2RFC-2698-60	TIMES MICROWAVE 5' 1/4" Jumper with 90 Deg DIN Male to 90 Deg DIN Male connectors. Low PIM.	Cable
Times Microwave Systems	SPO250DMRDMR6.0F	P2RFC-2698-72	TIMES MICROWAVE 6' 1/4" Jumper with 90 Deg DIN Male to 90 Deg DIN Male connectors. Low PIM.	Cable
Times Microwave Systems	SPO250DMRDMR7.0F	P2RFC-2698-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NFNM1.0M	P2RFC-2318-39	Times Microwave SPO250NFNM1.0M 1 meter SPO-250 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NFNM2.0M	P2RFC-2318-78	Times Microwave SPO250NFNM2.0M 2 meter SPO-250 jumper with N female to N male connectors. -160 dBc.	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPO250NFM3.0M	P2RFC-2318-117	Times Microwave SPO250NFM3.0M 3 meter SPO-250 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NFM4.0M	P2RFC-2318-156	Times Microwave SPO250NFM4.0M 4 meter SPO-250 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NFM5.0M	P2RFC-2318-195	Times Microwave SPO250NFM5.0M 5 meter SPO-250 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NFM6.0M	P2RFC-2318-234	Times Microwave SPO250NFM6.0M 6 meter SPO-250 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NM43F1.0M	P2RFC-2529-39	Times Microwave SPO250NM43F1.0M 1 meter SPO-250 jumper with N male to 4.3-10 female connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NM43F2.0M	P2RFC-2529-78	Times Microwave SPO250NM43F2.0M 2 meter SPO-250 jumper with N male to 4.3-10 female connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NM43F3.0M	P2RFC-2529-117	Times Microwave SPO250NM43F3.0M 3 meter SPO-250 jumper with N male to 4.3-10 female connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NM43F4.0M	P2RFC-2529-156	Times Microwave SPO250NM43F4.0M 4 meter SPO-250 jumper with N male to 4.3-10 female connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NM43F6.0M	P2RFC-2529-234	Times Microwave SPO250NM43F6.0M 6 meter SPO-250 jumper with N male to 4.3-10 female connectors. -160 dBc.	Cable
Times Microwave Systems	SPO250NM43M1.0M	P2RFC-2374-39	TIMES MICROWAVE 1m SPO-250 1/4" Superflex Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250NM43M2.0M	P2RFC-2374-78	TIMES MICROWAVE 2m SPO-250 1/4" Superflex Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250NM43M3.0M	P2RFC-2374-117	TIMES MICROWAVE 3m SPO-250 1/4" Superflex Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250NM43M4.0M	P2RFC-2374-156	TIMES MICROWAVE 4m SPO-250 1/4" Superflex Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250NM43M5.0M	P2RFC-2374-196	TIMES MICROWAVE 5m SPO-250 1/4" Superflex Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250NM43M6.0M	P2RFC-2374-234	TIMES MICROWAVE 6m SPO-250 1/4" Superflex Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	SPO250NMNM1.0M	P2RFC-2312-39	TIMES MICROWAVE 1m 1/4" Jumper with N Male to N Male connectors. Low PIM.	Cable
Times Microwave Systems	SPO250NMNM10.0F	P2RFC-2312-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNM15.0F	P2RFC-2312-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNM2.0M	P2RFC-2312-78	TIMES MICROWAVE 2m SPO-250 1/4" Superflex Jumper with N male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	SPO250NMNM20.0F	P2RFC-2312-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNM25.0F	P2RFC-2312-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPO250NMNM3.0F	P2RFC-2312-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNM3.0M	P2RFC-2312-117	TIMES MICROWAVE 3m SPO-250 jumper with N male to N male connectors. Low PIM. Outdoor-rated.	Cable
Times Microwave Systems	SPO250NMNM4.0M	P2RFC-2312-156	TIMES MICROWAVE 4m SPO-250 1/4" Superflex Jumper with N male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	SPO250NMNM5.0F	P2RFC-2312-60	5ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNM5.0M	P2RFC-2312-195	TIMES MICROWAVE 5m SPO-250 1/4" Superflex Jumper with N male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	SPO250NMNM6.0M	P2RFC-2312-234	TIMES MICROWAVE 6m SPO-250 1/4" Superflex Jumper with N male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	SPO250NMNM7.0F	P2RFC-2312-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNMR10.0F	P2RFC-2339-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNMR15.0F	P2RFC-2339-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNMR20.0F	P2RFC-2339-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNMR25.0F	P2RFC-2339-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNMR3.0F	P2RFC-2339-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNMR5.0F	P2RFC-2339-60	5ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMNMR7.0F	P2RFC-2339-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMRNMR10.0F	P2RFC-2495-120	10ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMRNMR15.0F	P2RFC-2495-180	15ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMRNMR20.0F	P2RFC-2495-240	20ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMRNMR25.0F	P2RFC-2495-300	25ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMRNMR3.0F	P2RFC-2495-36	3ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMRNMR5.0F	P2RFC-2495-60	5ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO250NMRNMR7.0F	P2RFC-2495-84	7ft - 50 Ohm Low Loss, Low PIM Outdoor Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPO500NFM1.0M	P2RFC-2318-39	Times Microwave SPO500NFM1.0M 1.0m low PIM SPO500 jumper with N female to N male connectors.	Cable
Times Microwave Systems	SPO500NM43M3.0M	P2RFC-2374-117	TIMES MICROWAVE SPO500NM43M3.0M 3m SPO-500 Jumper with N Male to 4.3-10 Male connectors. Low PIM.	Cable
Times Microwave Systems	SPP25041M41M1.0M	P2RFC-2076-39	1m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25041M41M2.0M	P2RFC-2076-78	2m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25041M41M3.0M	P2RFC-2076-117	3m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25041M41M5.0M	P2RFC-2076-195	5m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPP25041M43F2.0M	P2RFC-2308-78	TIMES MICROWAVE 2 Meter SPP-250-LLPL low loss, low PIM, plenum cable jumper with 4.1/9.5 mini DIN-Male - 4.3/10 mini DIN-Female. Low PIM < -156	Cable
Times Microwave Systems	SPP25041MDM3.0M	P2RFC-2308-117	TIMES MICROWAVE 3m SPP-250-LLPL jumper with Mini DIN Male to DIN Male connectors. Plenum rated, low PIM, low loss.	Cable
Times Microwave Systems	SPP25043M43F3.0M	P2RFC-2453-117	TIMES MICROWAVE SPP25043M43F3.0M 3.0 meter SPP-250-LLPL 1/4" low loss, low PIM, PIM rated cable with 4.3-10 male connector on one end and 4.3-10 female connector on the other.	Cable
Times Microwave Systems	SPP25043M43M1.0M	P2RFC-2269-39	Times Microwave SPP25043M43M1.0M 1.0 meter SPP-250-LLPL 1/4"	Cable
Times Microwave Systems	SPP25043M43M10.0F	P2RFC-2269-120	Times Microwave SPP25043M43M10.0F 10' SPP-250-LLPL jumper with 4.3-10 male connectors on both ends.	Cable
Times Microwave Systems	SPP25043M43M15.0F	P2RFC-2269-180	15ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43M20.0F	P2RFC-2269-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43M25.0F	P2RFC-2269-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43M3.0F	P2RFC-2269-36	Times Microwave SPP25043M43M3.0F 3' SPP-250-LLPL jumper with 4.3/10 male connectors on both ends.	Cable
Times Microwave Systems	SPP25043M43M5.0F	P2RFC-2269-60	Times Microwave SPP25043M43M5.0F 5' SPP-250-LLPL jumper with 4.3/10 male connectors on both ends.	Cable
Times Microwave Systems	SPP25043M43M7.0F	P2RFC-2269-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43MR10.0F	P2RFC-2628-120	10ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43MR10.1	P2RFC-2491-120	TIMES MICROWAVE SPP25043M43MR10.0F 10' SPP-250-LLPL 1/4" low loss, low PIM, PIM rated cable with 4.3-10 male Right Angle to 4.3-10 male	Cable
Times Microwave Systems	SPP25043M43MR15.0F	P2RFC-2628-180	15ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43MR2.0M	P2RFC-2491-78	TIMES MICROWAVE 2m SPP-250-LLPL 1/4" low loss, low PIM, PIM rated cable with 4.3-10 male Right Angle to 4.3-10 male.	Cable
Times Microwave Systems	SPP25043M43MR20.0F	P2RFC-2628-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43MR25.0F	P2RFC-2628-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43MR25.1	P2RFC-2491-300	TIMES MICROWAVE SPP25043M43MR25.0F 25' SPP-250-LLPL 1/4" low loss, low PIM, PIM rated cable with 4.3-10 male Right Angle to 4.3-10 male.	Cable
Times Microwave Systems	SPP25043M43MR3.0F	P2RFC-2628-36	3ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43MR5.0F	P2RFC-2628-60	5ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043M43MR7.0F	P2RFC-2628-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043MR43MR10.0F	P2RFC-2557-120	10ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043MR43MR15.0F	P2RFC-2557-180	15ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPP25043MR43MR20.0F	P2RFC-2557-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043MR43MR25.0F	P2RFC-2557-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043MR43MR3.0F	P2RFC-2557-36	3ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043MR43MR5.0F	P2RFC-2557-60	5ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP25043MR43MR7.0F	P2RFC-2557-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DF41M0.5F	P2RFC-2448-06	6 inch - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DF41M3.0F	P2RFC-2448-36	3 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DFDM1.0F	P2RFC-2195-12	Times Microwave SPP250DFDM1.0F 1' SPP-250-LLPL jumper with 7/16 DIN female to 7/16 DIN male connectors. Plenum and low PIM.	Cable
Times Microwave Systems	SPP250DFDM2.0M	P2RFC-2195-78	TIMES MICROWAVE 2 Meter SPP-250-LLPL low loss, low PIM, plenum cable jumper with 716 DIN-Male to 716 DIN-Female. Low PIM < -156	Cable
Times Microwave Systems	SPP250DFDM3.0M	P2RFC-2195-117	TIMES MICROWAVE 3 Meter SPP-250-LLPL low loss, low PIM, plenum cable jumper with 716 DIN-Male to 716 DIN-Female. Low PIM < -156	Cable
Times Microwave Systems	SPP250DM41M1.0M	P2RFC-2077-39	TIMES MICROWAVE 1m SPP-250-LLPL jumper with Mini DIN Male to DIN Male connectors. Plenum rated, low PIM, low loss.	Cable
Times Microwave Systems	SPP250DM41M2.0M	P2RFC-2077-78	TIMES MICROWAVE 2m SPP-250-LLPL jumper with Mini DIN Male to DIN Male connectors. Plenum rated, low PIM, low loss	Cable
Times Microwave Systems	SPP250DM41M3.0M	P2RFC-2077-117	3m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DM41M5.0M	P2RFC-2077-195	TIMES MICROWAVE 5m SPP-250-LLPL jumper with Mini DIN Male to DIN Male connectors. Plenum rated, low PIM, low loss	Cable
Times Microwave Systems	SPP250DM41M6.5F	P2RFC-2077-78	6.5 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DM43F3.0M	P2RFC-2525-117	Times Microwave SPP250DM43F3.0M 3 meter SPP-250-LLPL jumper with 4.3/10 female to 7/16 DIN male connectors.	Cable
Times Microwave Systems	SPP250DM43M1.0M	P2RFC-2329-39	Times Microwave SPP250DM43M1.0M 1.0 meter SPP-250-LLPL 1/4" low loss, low PIM, PIM rated cable with 4.3-10 male to 7/16 DIN male connectors.	Cable
Times Microwave Systems	SPP250DM43M2.0M	P2RFC-2329-78	TIMES MICROWAVE 2 meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with 7/16 DIN male to 4.3-10 male connectors.	Cable
Times Microwave Systems	SPP250DM43M3.0F	P2RFC-2329-36	TIMES MICROWAVE 3' SPP-250-LLPL jumper with 4.3/10 Male Screw Type to 7/16 DIN male.	Cable
Times Microwave Systems	SPP250DM43M3.0F	P2RFC-2305-36	TIMES MICROWAVE 3' SPP-250-LLPL jumper with 4.3/10 Male Screw Type to 7/16 DIN male.	Cable
Times Microwave Systems	SPP250DM43M3.0M	P2RFC-2329-117	Times Microwave 3 meter SPP-250-LLPL 1/4" low loss, low PIM, PIM rated cable with 4.3-10 male to 7/16 DIN male connectors.	Cable
Times Microwave Systems	SPP250DM43MR1.0M	P2RFC-2515-39	Times Microwave 1.0 meter SPP-250-LLPL 1/4" low loss, low PIM, PIM rated cable with 4.3-10 male Right Angle to 7/16 DIN male connectors.	Cable
Times Microwave Systems	SPP250DMDM1.0M	P2RFC-2074-39	1m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPP250DMDM1.0M	P2RFC-2074-39	TIMES MICROWAVE 1 Meter SPP-250-LLPL low loss, low PIM, plenum cable jumper with 716 DIN-Male to 716 DIN-Male. Low PIM < -155	Cable
Times Microwave Systems	SPP250DMDM10.0F	P2RFC-2074-120	10ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDM15.0F	P2RFC-2074-180	15ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDM2.0M	P2RFC-2074-78	TIMES MICROWAVE 2 Meter SPP-250-LLPL low loss, low PIM, plenum cable jumper with 716DIN-Male to 716DIN-Male Low PIM < -155	Cable
Times Microwave Systems	SPP250DMDM20.0F	P2RFC-2074-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDM25.0F	P2RFC-2074-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDM3.0F	P2RFC-2074-36	TIMES MICROWAVE 3' SPP-250-LLPL low loss, low PIM, plenum cable jumper with 716 DIN-Male to 716 DIN-Male. Low PIM < -155	Cable
Times Microwave Systems	SPP250DMDM3.0M	P2RFC-2074-117	TIMES MICROWAVE 3 Meter SPP-250-LLPL low loss, low PIM, plenum cable jumper with 716 DIN-Male to 716 DIN-Male. Low PIM < -155	Cable
Times Microwave Systems	SPP250DMDM4.0F	P2RFC-2074-48	Times Microwave SPP250DMDM4.0F 4' SPP-250-LLPL jumper with 7/16 DIN male to 7/16 DIN male connectors. Plenum and low PIM.	Cable
Times Microwave Systems	SPP250DMDM4.0M	P2RFC-2074-156	TIMES MICROWAVE 4 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with DIN-Male to DIN-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250DMDM5.0F	P2RFC-2074-60	5ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDM7.0F	P2RFC-2074-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDM8.0F	P2RFC-2074-96	8 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR1.0M	P2RFC-2267-39	1m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR1.0M	P2RFC-2267-39	TIMES MICROWAVE SPP250DMDMR1.0M 1m SPP-250-LLPL 1/4" low loss, low PIM, plenum rated cable with Right Angle DIN Male to DIN Male connectors.	Cable
Times Microwave Systems	SPP250DMDMR10.0F	P2RFC-2267-120	10ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR12.0F	P2RFC-2267-144	12 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR15.0F	P2RFC-2267-180	15ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR2.0M	P2RFC-2267-78	TIMES MICROWAVE 2m SPP-250-LLPL 1/4" low loss, low PIM, plenum rated cable with Right Angle DIN Male to DIN Male connectors.	Cable
Times Microwave Systems	SPP250DMDMR20.0F	P2RFC-2267-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR25.0F	P2RFC-2267-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR3.0F	P2RFC-2267-36	3ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR30.0F	P2RFC-2267-360	30 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR4.0M	P2RFC-2267-78	2m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR5.0F	P2RFC-2267-60	5ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPP250DMDMR6.0M	P2RFC-2267-234	6m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR7.0F	P2RFC-2267-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMDMR8.0F	P2RFC-2267-96	TIMES MICROWAVE 8' SPP-250-LLPL 1/4" low loss, low PIM, plenum rated cable with Right Angle DIN Male to DIN Male connectors.	Cable
Times Microwave Systems	SPP250DMNF1.0M	P2RFC-2196-39	TIMES MICROWAVE 1 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Female to DIN-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250DMNF2.0M	P2RFC-2196-78	TIMES MICROWAVE 2 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Female to DIN-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250DMNM1.0M	P2RFC-2073-39	TIMES MICROWAVE 1 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to DIN-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250DMNM2.0M	P2RFC-2073-78	TIMES MICROWAVE 2 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to DIN-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250DMNM3.0M	P2RFC-2073-117	3m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMNM4.0M	P2RFC-2073-156	TIMES MICROWAVE 4 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to DIN-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250DMNM7.0M	P2RFC-2073-273	TIMES MICROWAVE 7 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to DIN-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250DMNMR2.0M	P2RFC-2335-78	2m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMNMR4.0M	P2RFC-2335-156	2m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRDMR10.0F	P2RFC-2636-120	10ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRDMR15.0F	P2RFC-2636-180	15ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRDMR20.0F	P2RFC-2636-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRDMR25.0F	P2RFC-2636-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRDMR3.0F	P2RFC-2636-36	3ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRDMR5.0F	P2RFC-2636-60	5ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRDMR7.0F	P2RFC-2636-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRNM1.0M	P2RFC-2266-39	1m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRNM12.0F	P2RFC-2266-144	12 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRNM2.0M	P2RFC-2266-78	2m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250DMRNM3.0M	P2RFC-2266-117	TIMES MICROWAVE 3m SPP-250-LLPL 1/4" low loss, low PIM, plenum rated cable with N Male to RA DIN Male connectors.	Cable
Times Microwave Systems	SPP250DMRNM8.0F	P2RFC-2266-96	TIMES MICROWAVE 8' SPP-250-LLPL 1/4" low loss, low PIM, plenum rated cable with Right Angle DIN Male to N Male connectors. P/N SPP250LLPL/8FT/NM/DMRA	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPP250LLPL3MNMDM	P2RFC-2335-117	TIMES MICROWAVE 3 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male - DIN-Male connectors PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250LLPL4MNMMN	P2RFC-2072-156	TIMES MICROWAVE 4 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250LLPLNMRADM	P2RFC-2266-78	Time Microwave SPP250DMRNM2.0M 2 meter SPP-250-LLPL jumper with N male to 7/16 DIN male right angle connectors.	Cable
Times Microwave Systems	SPP250NFM1.0F	P2RFC-2184-12	TIMES MICROWAVE 1' SPP-250-LLPL low loss, low PIM, plenum rated	Cable
Times Microwave Systems	SPP250NFM1.0M	P2RFC-2184-39	TIMES MICROWAVE 1 Meter (3 ft) SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Female connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NFM2.0M	P2RFC-2184-78	2m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NFM2.0M	P2RFC-2184-78	TIMES MICROWAVE 2 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Female connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NFM1.0M	P2RFC-2654-39	1m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NFM1.0M	P2RFC-2368-39	TIMES MICROWAVE 1 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with right angle N/M to N/F connectors. PIM: <-155dBc	Cable
Times Microwave Systems	SPP250NM41M1.0M	P2RFC-2075-39	1m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NM41M1.0M	P2RFC-2075-39	TIMES MICROWAVE 1m SPP-250-LLPL jumper with N Male to Mini DIN Male. Plenum rated, low PIM, low loss.	Cable
Times Microwave Systems	SPP250NM41M2.0M	P2RFC-2075-78	TIMES MICROWAVE 2m SPP-250-LLPL jumper with Mini DIN Male to N Male. Plenum rated, low PIM, low loss.	Cable
Times Microwave Systems	SPP250NM41M3.0M	P2RFC-2075-117	3m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NM41M5.0M	P2RFC-2075-195	5m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NM41M5.0M	P2RFC-2075-19	TIMES MICROWAVE 5m SPP-250-LLPL jumper with Mini DIN Male to DIN Male. Plenum rated, low PIM, low loss.	Cable
Times Microwave Systems	SPP250NMNF12.0F	P2RFC-2184-144	TIMES MICROWAVE 12' SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with NM to NF connectors. PIM: <-155dBc	Cable
Times Microwave Systems	SPP250NMNF3.0M	P2RFC-2184-117	TIMES MICROWAVE 3m SPP-250-LLPL 1/4" low loss, low PIM, plenum rated cable with N Male to N Female connectors.	Cable
Times Microwave Systems	SPP250NMNM1.0F	P2RFC-2072-12	TIMES MICROWAVE 1' SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors.	Cable
Times Microwave Systems	SPP250NMNM1.0M	P2RFC-2072-39	TIMES MICROWAVE 1 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMNM10.0F	P2RFC-2072-120	10ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNM15.0F	P2RFC-2072-180	TIMES MICROWAVE SPP250NMNM15.0F 15' SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMNM2.0M	P2RFC-2072-78	2m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPP250NMNM2.0M	P2RFC-2072-78	TIMES MICROWAVE 2 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMNM20.0F	P2RFC-2072-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNM25.0F	P2RFC-2072-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNM3.0F	P2RFC-2072-36	3ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNM3.0M	P2RFC-2072-117	3m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNM3.0M	P2RFC-2072-117	TIMES MICROWAVE 3 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMNM5.0F	P2RFC-2072-60	TIMES MICROWAVE 5' SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors.	Cable
Times Microwave Systems	SPP250NMNM5.0M	P2RFC-2072-195	TIMES MICROWAVE 5 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMNM6.0M	P2RFC-2072-234	TIMES MICROWAVE 6 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMNM7.0F	P2RFC-2072-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNM7.0M	P2RFC-2072-273	TIMES MICROWAVE 7 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to N-Male connectors. PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMNMR10.0F	P2RFC-2265--120	10ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNMR12.0F	P2RFC-2265-144	12 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNMR15.0F	P2RFC-2265-180	15ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNMR20.0F	P2RFC-2265-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNMR25.0F	P2RFC-2265-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNMR3.0F	P2RFC-2265-36	3ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNMR5.0F	P2RFC-2265-60	5ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNMR6.0F	P2RFC-2265-72	6 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMNMR7.0F	P2RFC-2265-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMRNMR1.0M	P2RFC-2264-39	TIMES MICROWAVE 1 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with right angle N/M -to right angle N/M connectors. PIM: < -155dBc	Cable
Times Microwave Systems	SPP250NMRNMR10.0F	P2RFC-2264-120	10ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMRNMR15.0F	P2RFC-2264-180	15ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMRNMR20.0F	P2RFC-2264-240	20ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMRNMR25.0F	P2RFC-2264-300	25ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMRNMR3.0F	P2RFC-2264-36	3ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	SPP250NMRNMR40.0F	P2RFC-2264-480	40 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMRNMR5.0F	P2RFC-2264-60	5ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMRNMR7.0F	P2RFC-2264-84	7ft - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMRSMR2.0M	P2RFC-2264-78	Times Microwave SPP250NMRSMR2.0M SPP-250-LLPL jumper with N right angle male to SMA right angle male connectors. -155 dBc.	Cable
Times Microwave Systems	SPP250NMSM1.0M	P2RFC-2656-39	1m - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	SPP250NMSM1.0M	P2RFC-2244-39	TIMES MICROWAVE 1 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to SMA-Male connector PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMSM1.5M	P2RFC-2244-59	TIMES MICROWAVE 1.5 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with N-Male to SMA-Male connector PIM: < -155 dBc	Cable
Times Microwave Systems	SPP250NMSM2.0M	P2RFC-2244-78	TIMES MICROWAVE 2 Meter SPP-250-LLPL low loss, low PIM, plenum rated cable jumper with SMA Male to N Male connector PIM: < -155 dBc	Cable
Times Microwave Systems	SPP500NMNM1.0M	P2RFC-2072-39	TIMES MICROWAVE 1 meter SPP-500-LLPL flexible jumper assembly with N Male to N Male connectors.	Cable
Times Microwave Systems	SPP500NMNM3.0M	P2RFC-2072-117	Times Microwave SPP500NMNM3.0M 3 meter SPP-500-LLPL flexible low PIM jumper assembly with N Male to N Male connectors.	Cable
Times Microwave Systems	TFT40141F43M2.0M	P2RFC-2608-78	Times Microwave TFT40141F43M2.0M 2 meter TFT-401 jumper with 4.1/9.5 female to 4.3-10 male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT40141F43M3.0M	P2RFC-2608-117	Times Microwave TFT40141F43M3.0M 3 meter TFT-401 jumper with 4.1/9.5 female to 4.3-10 male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT40141F43M4.0M	P2RFC-2608-156	Times Microwave TFT40141F43M4.0M 4 meter TFT-401 jumper with 4.1/9.5 female to 4.3-10 male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT40141F43M5.0M	P2RFC-2608-195	Times Microwave TFT40141F43M5.0M 5 meter TFT-401 jumper with 4.1/9.5 female to 4.3-10 male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT40141F43M6.0M	P2RFC-2608-234	Times Microwave TFT40141F43M6.0M 6 meter TFT-401 jumper with 4.1/9.5 female to 4.3-10 male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT40143M43M3.0M	P2RFC-2571-117	TIMES MICROWAVE 3m TFT-401 Jumper with 4.3-10 male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	TFT40143M43M4.0M	P2RFC-2571-156	TIMES MICROWAVE 4m TFT-401 Jumper with 4.3-10 male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	TFT40143M43M5.0M	P2RFC-2571-195	TIMES MICROWAVE 5m TFT-401 Jumper with 4.3-10 male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	TFT40143M43M6.0M	P2RFC-2571-234	TIMES MICROWAVE 6m TFT-401 Jumper with 4.3-10 male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	TFT401DM43M1.0M	P2RFC-2572-39	TIMES MICROWAVE 1m TFT-401 Jumper with 4.3-10 male to DIN male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DM43M2.0M	P2RFC-2537-78	TIMES MICROWAVE 2m TFT-401 Jumper with 4.3-10 male to DIN male connectors. Low Pim.	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	TFT401DM43M2.0M	P2RFC-2572-78	TIMES MICROWAVE 2m TFT-401 Jumper with 4.3-10 male to DIN male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DM43M3.0M	P2RFC-2572-117	TIMES MICROWAVE 3m TFT-401 Jumper with 4.3-10 male to DIN male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DM43M4.0M	P2RFC-2572-156	TIMES MICROWAVE 4m TFT-401 Jumper with 4.3-10 male to DIN male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DM43M5.0M	P2RFC-2572-195	TIMES MICROWAVE 5m TFT-401 Jumper with 4.3-10 male to DIN male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DM43M6.0M	P2RFC-2572-234	TIMES MICROWAVE 6m TFT-401 Jumper with 4.3-10 male to DIN male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DMNM1.0M	P2RFC-2580-39	TIMES MICROWAVE 1m TFT-401 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DMNM2.0M	P2RFC-2580-78	TIMES MICROWAVE 2m TFT-401 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DMNM4.0M	P2RFC-2580-156	TIMES MICROWAVE 4m TFT-401 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DMNM5.0M	P2RFC-2580-195	TIMES MICROWAVE 5m TFT-401 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401DMNM6.0M	P2RFC-2580-234	TIMES MICROWAVE 6m TFT-401 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401NFM1.0M	P2RFC-2548-39	Times Microwave TFT401NFM1.0M 1 meter TFT-401 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NFM2.0M	P2RFC-2548-78	Times Microwave TFT401NFM2.0M 2 meter TFT-401 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NFM3.0M	P2RFC-2548-117	Times Microwave TFT401NFM3.0M 3 meter TFT-401 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NFM4.0M	P2RFC-2548-156	Times Microwave TFT401NFM4.0M 4 meter TFT-401 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NFM5.0M	P2RFC-2548-195	Times Microwave TFT401NFM5.0M 5 meter TFT-401 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NFM6.0M	P2RFC-2548-234	Times Microwave TFT401NFM6.0M 6 meter TFT-401 jumper with N female to N male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NM41F1.0M	P2RFC-2606-39	Times Microwave TFT401NM41F1.0M 1 meter TFT-401 jumper with N male to 4.1/9.5 mini DIN female connectors. Low PIM.	Cable
Times Microwave Systems	TFT401NM41F2.0M	P2RFC-2606-78	Times Microwave TFT401NM41F2.0M 2 meter TFT-401 jumper with N male to 4.1/9.5 mini DIN female connectors. Low PIM.	Cable
Times Microwave Systems	TFT401NM41F3.0M	P2RFC-2606-117	Times Microwave TFT401NM41F3.0M 3 meter TFT-401 jumper with N male to 4.1/9.5 mini DIN female connectors. Low PIM.	Cable
Times Microwave Systems	TFT401NM41F4.0M	P2RFC-2606-156	Times Microwave TFT401NM41F4.0M 4 meter TFT-401 jumper with N male to 4.1/9.5 mini DIN female connectors. Low PIM.	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	TFT401NM41F5.0M	P2RFC-2606-195	Times Microwave TFT401NM41F5.0M 5 meter TFT-401 jumper with N male to 4.1/9.5 mini DIN female connectors. Low PIM.	Cable
Times Microwave Systems	TFT401NM41F6.0M	P2RFC-2606-234	Times Microwave TFT401NM41F6.0M 6 meter TFT-401 jumper with N male to 4.1/9.5 mini DIN female connectors. Low PIM.	Cable
Times Microwave Systems	TFT401NM43M2.0M	P2RFC-2537-78	TIMES MICROWAVE 2m TFT-401 Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401NM43M3.0M	P2RFC-2537-117	TIMES MICROWAVE 3m TFT-401 Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401NM43M4.0M	P2RFC-2537-156	TIMES MICROWAVE 4m TFT-401 Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401NM43M5.0M	P2RFC-2537-195	TIMES MICROWAVE 5m TFT-401 Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401NM43M6.0M	P2RFC-2537-234	TIMES MICROWAVE 6m TFT-401 Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT401NMNM3.0M	P2RFC-2458-117	TIMES MICROWAVE 3m TFT-401 Jumper with N male connectors on both ends. Low Pim.	Cable
Times Microwave Systems	TFT401NMQM2.0M	P2RFC-2503-78	Times Microwave TFT401NMQM2.0M 2 meter TFT-401 jumper with N male to QMA male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NMQM3.0M	P2RFC-2503-117	Times Microwave TFT401NMQM3.0M 3 meter TFT-401 jumper with N male to QMA male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NMQM6.0M	P2RFC-2503-234	Times Microwave TFT401NMQM6.0M 6 meter TFT-401 jumper with N male to QMA male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NMSM1.0M	P2RFC-2535-39	Times Microwave TFT401NMSM1.0M 1 meter TFT-401 jumper with N male to SMA male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NMSM1.0M	P2RFC-2535-39	Times Microwave TFT401NMSM1.0M 1 meter TFT-401 jumper with N male to SMA male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT401NMSM3.0M	P2RFC-2535-117	Times Microwave TFT401NMSM3.0M 3 meter TFT-401 jumper with N male to SMA male connectors. -160 dBc.	Cable
Times Microwave Systems	TFT40243M43F1.0M	P2RFC-2422-39	Times Microwave 1 meter TFT-402 jumper with 4.3/10 male to 4.3/10 female connectors. Plenum and low PIM, -160 dBc.	Cable
Times Microwave Systems	TFT402DFNM3.0F	P2RFC-2202-117	TIMES MICROWAVE 3' TFT-402 Jumper with 7/16 DIN Female to N Male connectors. Low PIM.	Cable
Times Microwave Systems	TFT402DMNM1.0M	P2RFC-2065-39	TIMES MICROWAVE 1m TFT-402 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT402DMNM2.0M	P2RFC-2065-78	TIMES MICROWAVE 2m TFT-402 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT402DMNM3.0M	P2RFC-2065-117	TIMES MICROWAVE 3m TFT-402 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT402DMNM4.0M	P2RFC-2065-156	TIMES MICROWAVE 4m TFT-402 Jumper with DIN male to N male connectors. Low Pim.	Cable

Times Microwave

Manufacturer	Model	RFI Equivalent	Description	iBwave Type
Times Microwave Systems	TFT402DMNM6.0M	P2RFC-2065-234	TIMES MICROWAVE 6m TFT-402 Jumper with DIN male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT402NFM1.0M	P2RFC-2175-39	Times Microwave TFT402NFM1.0M 1 meter TFT-402 jumper with N female to N male connectors.	Cable
Times Microwave Systems	TFT402NM43M1.0M	P2RFC-2331-39	TIMES MICROWAVE 1m TFT-402 Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT402NM43M2.0M	P2RFC-2331-78	TIMES MICROWAVE 2m TFT-402 Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT402NM43M3.0M	P2RFC-2331-117	TIMES MICROWAVE 3m TFT-402 Jumper with 4.3-10 male to N male connectors. Low Pim.	Cable
Times Microwave Systems	TFT402NMQM1.0M	P2RFC-2160-39	1 meter - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	TFT402NMRQMR3.0F	P2RFC-2669-36	3 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	TFT402NMRQMR6.0F	P2RFC-2669-72	6 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	TFT402NMRSMR10.0F	P2RFC-2279-120	TIMES 10' TFT-402 Jumper with N Male RA to SMA Male RA. Low P	Cable
Times Microwave Systems	TFT402NMRSMR6.0F	P2RFC-2279-72	TIMES MICROWAVE 6' TFT-402 Jumper with RA N Male to RA SMA	Cable
Times Microwave Systems	TFT402NMSM10.0F	P2RFC-2068-120	TIMES MICROWAVE 10' TFT-402 Jumper with N Male to SMA Male connectors. Low PIM.	Cable
Times Microwave Systems	TFT402NMSM2.0M	P2RFC-2068-78	Times Microwave TFT402NMSM2.0M 2 meter TFT-402 jumper with N male to SMA male connectors.	Cable
Times Microwave Systems	TFT402QMRQMR12.0F	P2RFC-2336-144	12 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	TFT402QMRSMR10.0F	P2RFC-2326-120	10 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	TFT402QMRSMR3.0F	P2RFC-2326-36	3 foot - 50 Ohm Low Loss, Low PIM Plenum Rated Coaxial Jumper Cable	Cable
Times Microwave Systems	TFT402QMSM30.0F	P2RFC-2200-360	Times Microwave TFT402QMSM30.0F 30' TFT-402-LF jumper with C	Cable
Times Microwave Systems	TFT402QMSM35.0F	P2RFC-2200-420	Times Microwave TFT402QMSM35.0F 35' TFT-402-LF jumper with C	Cable
Times Microwave Systems	TFT402QMSM40.0F	P2RFC-2200-480	Times Microwave TFT402QMSM40.0F 40' TFT-402-LF jumper with C	Cable
Times Microwave Systems	TFT402SM43M1.0M	P2RFC-2452-39	TIMES MICROWAVE TFT402SM43M1.0M 1m TFT-402 Jumper with	Cable