





NOTES: UNLESS OTHERWISE SPECIFIED


1. MATERIALS AND COMPONENTS ARE RoHS/REACH COMPLIANT.
2. CONNECTORS MEET THE REQUIREMENTS OF ANSI/TIA 568-C.3
3. 100% TESTED FOR OPTICAL PERFORMANCE, END FACE CRITERIA AND CLEANLINESS.
4. APPLICABLE TO MULTIMODE AND SINGLE-MODE.
5. CABLE ASSEMBLIES ARE MANUFACTURED TO C ENTERPRISES STANDARDS.
6. STANDARDS AND SPECIFICATIONS AVAILABLE UPON REQUEST.

REV	ECR	DESCRIPTION	BY	DATE	CHECKED
A	-	INITIAL RELEASE	K.T.	07/12/2016	A.J.



METHOD A		
POSITION	FIBER COLOR	POSITION
CONNECTOR 1		CONNECTOR 2
ROW A		ROW B
1	BLUE	13
2	ORANGE	14
3	GREEN	15
4	BROWN	16
5	SLATE	17
6	WHITE	18
7	RED	19
8	BLACK	20
9	YELLOW	21
10	VIOLET	22
11	ROSE	23
12	AQUA	24
ROW B		ROW A
13	BLUE	1
14	ORANGE	2
15	GREEN	3
16	BROWN	4
17	SLATE	5
18	WHITE	6
19	RED	7
20	BLACK	8
21	YELLOW	9
22	VIOLET	10
23	ROSE	11
24	AQUA	12



DRAWN BY:	K. THOMAS	05/26/2016	 C-ENTERPRISES <i>Connecting Today's Infrastructures</i>	C ENTERPRISES 2445 CADES WAY VISTA CA 92081 760-599-5111	
APVD BY:	A. JENSEN	07/12/2016		TITLE: MTP 24 POLARITY METHOD A	
DIMENSIONS: METRIC [IMPERIAL]			SIZE A	DWG. NO. MTP-24-POLARITY-A	REV A
PROPRIETARY AND CONFIDENTIAL THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF C ENTERPRISES. NOT TO BE USED, COPIED, OR DISCLOSED WITHOUT WRITTEN PERMISSION. ALL RIGHTS RESERVED.			SCALE: NOT TO SCALE		SHEET 1 OF 1