





NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIALS AND COMPONENTS ARE RoHS/REACH COMPLIANT.
2. CONNECTORS MEET THE REQUIREMENTS OF ANSI/TIA 568-C.3
3. 100% TESTED FOR OPTICAL PERFORMANCE, END FACE CRITERIA AND CLEANLINESS.
4. APPLICABLE TO MULTIMODE AND SINGLE-MODE.
5. CABLE ASSEMBLIES ARE MANUFACTURED TO C ENTERPRISES STANDARDS.
6. STANDARDS AND SPECIFICATIONS AVAILABLE UPON REQUEST.

REV	ECR	DESCRIPTION	BY	DATE	CHECKED
A	-	INITIAL RELEASE	K.T.	11/04/2016	A.J.
A.1	-	CONNECTOR KEY CORRECTION	K.T.	01/13/2017	A.J.



METHOD B		
POSITION	FIBER COLOR	POSITION
CONNECTOR 1		CONNECTOR 2
ROW A		ROW B
1	BLUE	24
2	ORANGE	23
3	GREEN	22
4	BROWN	21
5	SLATE	20
6	WHITE	19
7	RED	18
8	BLACK	17
9	YELLOW	16
10	VIOLET	15
11	ROSE	14
12	AQUA	13
ROW B		ROW A
13	BLUE	12
14	ORANGE	11
15	GREEN	10
16	BROWN	9
17	SLATE	8
18	WHITE	7
19	RED	6
20	BLACK	5
21	YELLOW	4
22	VIOLET	3
23	ROSE	2
24	AQUA	1



DRAWN BY:	K. THOMAS	11/04/2016
APVD BY:	A. JENSEN	01/13/2017



C ENTERPRISES  
2445 CADES WAY  
VISTA CA 92081  
760-599-5111

DIMENSIONS: METRIC [IMPERIAL]		TITLE: MTP 24 POLARITY METHOD B	
PROPRIETARY AND CONFIDENTIAL	SIZE A	DWG. NO. MTP-24-POLARITY-B	REV A.1
THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF C ENTERPRISES. NOT TO BE USED, COPIED, OR DISCLOSED WITHOUT WRITTEN PERMISSION. ALL RIGHTS RESERVED.			SCALE: NOT TO SCALE
			SHEET 1 OF 1