




NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIALS AND COMPONENTS ARE RoHS/REACH COMPLIANT.
2. CONNECTORS MEET THE REQUIREMENTS OF ANSI/TIA 568-C.3
3. 100% TESTED FOR OPTICAL PERFORMANCE, END FACE CRITERIA AND CLEANLINESS.
4. CABLE ASSEMBLIES ARE MANUFACTURED TO C ENTERPRISES STANDARDS.
5. STANDARDS AND SPECIFICATIONS AVAILABLE UPON REQUEST.

REV	ECR	DESCRIPTION	BY	DATE	CHECKED
A	-	INITIAL RELEASE	K.T.	06/21/2022	A.J.




POLARITY TYPE B		
POSITION	FIBER COLOR	POSITION
CONNECTOR 1		CONNECTOR 2
1	BLUE	12
2	ORANGE	11
3	GREEN	10
4	BROWN	9
5	SLATE	8
6	WHITE	7
7	RED	6
8	BLACK	5
9	YELLOW	4
10	VIOLET	3
11	ROSE	2
12	AQUA	1



BILL OF MATERIALS		
ITEM	QTY	COMPONENT
4	1	MULTIMODE TEST REPORT
3	AR	MULTIMODE OM4 12-FIBER NON SUB-UNITIZED 3.0 mm OFNP CABLE; AQUA: PERFORMA, CORNING GLASS AND PRINT
2	1	MTP-12 MALE MULTIMODE PC POLISH; AQUA HOUSING, AQUA BOOT: CORNING
1	1	MTP-12 FEMALE MULTIMODE PC POLISH; AQUA HOUSING, AQUA BOOT: CORNING

MTP PC TEST LIMITS AT 1300 nm			
MAX. I.L.	TYP. I.L.	MIN. R.L.	TYP. R.L.
≤0.75dB	0.20dB	N/A	N/A

DESCRIPTION: MTP-12 PINNED PC POLISH/MTP-12 NON-PINNED PC POLISH x 12-FIBER OM4 OFNP MIC 250 um W/ CP&G FIBER, TEST REPORT, POLARITY TYPE B					
DRAWN BY:	K. THOMAS	06/21/2022	 C-ENTERPRISES Connecting Today's Infrastructures 2445 CADES WAY VISTA CA 92081 760-599-5111		
APVD BY:	A. JENSEN	06/21/2022			
DIMENSIONS: METRIC [IMPERIAL]			TITLE: MTP-12 OM4 12-FIBER MIC 250 um		
PROPRIETARY AND CONFIDENTIAL THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF C ENTERPRISES. NOT TO BE USED, COPIED, OR DISCLOSED WITHOUT WRITTEN PERMISSION. ALL RIGHTS RESERVED.			SIZE A	DWG. NO. HPPG12MPMTXRXTX	REV A
SCALE: NOT TO SCALE				SHEET 1 OF 1	